



2026 LED products

Xuanan Lighting
Elisa Yao



Shenzhen Xuanan Lighting Co., Ltd

ADD: Shiyan Street, Baoan District, Shenzhen, 518108

Website: www.xuananlighting.com

Email: xuananlighting@hotmail.com

Flex LED Sheets

XXA-SHEET


We can customize LED sheets according to customer requirements, including the led qty, special chip, Length, thickness, etc.

Please contact us directly for more information.

LED Sheet Series

Model: XXA-SHEET

Flexible LED sheet is a thin, flexible panel embedded with light-emitting diodes (LEDs) designed to provide uniform lighting across its surface. It's often used in signage, backlighting, displays, and architectural lighting. Unlike traditional lighting fixtures, LED sheets are flat and can be easily integrated into various designs, offering a versatile and energy-efficient lighting solution.



180° Light Emitting Single White


P/N: XXA-B24W50PW



Item	Specification	Item	Specification
Item Name	180° degree white led sheet	Light Source	2835 White
LED QTY	50leds/PCS	CRI	90
Color	2700K/3000K/4000K/6500K	Voltage	DC24V
Working T	-20 to 45 Degree	Power	40W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	4000lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	480mm*240mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years

- 1LED 1CUT **Single White** LED Sheet;
- 180° degree light emitting design with better light effect;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses are added, and widely applied to counters, light boxes, advertising light boards, etc.





288LEDs 6LEDs/Cut Single White


P/N: XXA-B24W288P



Item	Specification	Item	Specification
Item Name	Single white led sheet	Light Source	2835 White
LED QTY	288leds/PCS	CRI	90
Color	2700K/3000K/4000K/6500K	Voltage	DC24V
Working T	-20 to 45 Degree	Power	45W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	4500lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	480mm*240mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years

- 6 LED 1CUT **Single White** LED Sheet;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses with different light-emitting angles can be added, widely applied to counters, light boxes, advertising light boards, etc.






288LEDs Individual Cut Single White



P/N: XXA-B24W288P1




Item	Specification	Item	Specification
Item Name	Single white led sheet	Light Source	2835 White
LED QTY	288leds/PCS	CRI	90
Color	2700K/3000K/4000K/6500K	Voltage	DC24V
Working T	-20 to 45 Degree	Power	30W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	3000lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	490mm*245mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years

- 1LED 1CUT Single White LED Sheet;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses with different light-emitting angles can be added, widely applied to counters, light boxes, advertising light boards, etc.






Sheet & LED Height



Terminal Height



Bumper Height



392LEDs Individual Cut Single White




P/N: XXA-B24W392P



Item	Specification	Item	Specification
Item Name	Single white led sheet	Light Source	2835 White
LED QTY	392leds/PCS	CRI	90
Color	2700K/3000K/4000K/6500K	Voltage	DC24V
Working T	-20 to 45 Degree	Power	45W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	4500lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	480mm*240mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years

- 1LED 1CUT **Single White** LED Sheet;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses with different light-emitting angles can be added, widely applied to counters, light boxes, advertising light boards, etc.





576LEDs 12LEDs/Cut 2835 Dual White


P/N: XXA-B24TW576P



Item	Specification	Item	Specification
Item Name	Dual white led sheet	Light Source	2835 White
LED QTY	576leds/PCS	CRI	90
Color	3000-6500K	Voltage	DC24V
Working T	-20 to 45 Degree	Power	90W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	9000lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	480mm*240mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years


- 12 LED 1CUT **Dual White** LED Sheet;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses with different light-emitting angles can be added, widely applied to counters, light boxes, advertising light boards, etc.





576LEDs 2LEDs/Cut 2835 Dual White


P/N: XXA-B24TW576P1




Item	Specification	Item	Specification
Item Name	Dual white led sheet	Light Source	2835 White
LED QTY	576leds/PCS	CRI	90
Color	3000-6500K	Voltage	DC24V
Working T	-20 to 45 Degree	Power	60W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	6000lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	490mm*245mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years

- 2 LED 1CUT **Dual White** LED Sheet;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses with different light-emitting angles can be added, widely applied to counters, light boxes, advertising light boards, etc.







Sheet & LED Height



Terminal Height



Bumper Height






784LEDs 2LEDs/Cut 2835 Dual White

P/N: XXA-B24TW784P



Item	Specification	Item	Specification
Item Name	Dual white led sheet	Light Source	2835 White
LED QTY	784leds/PCS	CRI	90
Color	3000-6500K	Voltage	DC24V
Working T	-20 to 45 Degree	Power	90W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	9000lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	480mm*240mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years

- 2 LED 1CUT **Dual White** LED Sheet;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses with different light-emitting angles can be added, widely applied to counters, light boxes, advertising light boards, etc.



288LEDs 12LEDs/Cut 5050 RGB


P/N: XXA-B24RGB288P



Item	Specification	Item	Specification
Item Name	24V RGB LED sheet	Light Source	5050
LED QTY	288leds/PCS	CRI	/
Color	RGB	Voltage	DC24V
Working T	-20 to 45 Degree	Power	62W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	2170lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	480mm*240mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years

- 12 LED 1CUT **RGB** LED Sheet;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses with different light-emitting angles can be added, widely applied to counters, light boxes, advertising light boards, etc.





288LEDs 12LEDs/Cut 5050 RGBW


P/N: XXA-B24RGBW288P



Item	Specification	Item	Specification
Item Name	24V RGBW LED sheet	Light Source	5050
LED QTY	288leds/PCS	CRI	90
Color	RGBW	Voltage	DC24V
Working T	-20 to 45 Degree	Power	80W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	3600lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	480mm*240mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years


- 12 LED 1CUT **RGBW** LED Sheet;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses with different light-emitting angles can be added, widely applied to counters, light boxes, advertising light boards, etc.







800LEDs 4LEDs/Cut 2835 RGBW

P/N: XXA-B24RGBW800P



Item	Specification	Item	Specification
Item Name	24V RGBW led sheet	Light Source	2835
LED QTY	800leds/PCS	CRI	90
Color	RGBW	Voltage	DC24V
Working T	-20 to 45 Degree	Power	92W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	4600lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	480mm*240mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years

- 4 LED 1CUT **RGBW** LED Sheet;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses with different light-emitting angles can be added, widely applied to counters, light boxes, advertising light boards, etc.



288LEDs 12LEDs/Cut 5050 RGBTW


P/N: XXA-B24RGBTW288P



Item	Specification	Item	Specification
Item Name	24V RGB CCT LED sheet	Light Source	5050
LED QTY	288leds/PCS	CRI	90
Color	RGB+WW+CW	Voltage	DC24V
Working T	-20 to 45 Degree	Power	90W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	4950lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	480mm*240mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years


- 12 LED 1CUT **RGBTW** LED Sheet;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses with different light-emitting angles can be added, widely applied to counters, light boxes, advertising light boards, etc.





800LEDs 24V Pixel WS2814B RGBW


P/N: XXA-B24ICRGBW800P



Item	Specification	Item	Specification
Item Name	WS2814 RGBW led sheet	Light Source	2835
LED QTY	800leds/PCS	CRI	90
IC Type	WS2814	Pixel QTY	50PCS
Color	Pixel RGBW	Voltage	DC24V
Working T	-20 to 45 Degree	Power	92W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	4600lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	480mm*240mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years


- 4 LED 1CUT **PIXEL WS2814 RGBW** LED Sheet;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses with different light-emitting angles can be added, widely applied to counters, light boxes, advertising light boards, etc.





200LEDs 12V Pixel WS2815 RGBW


P/N: XXA-B12ICRGBW200P



Item	Specification	Item	Specification
Item Name	WS2815 RGBW led sheet	Light Source	5050
LED QTY	200leds/PCS	CRI	90
IC Type	WS2815	Pixel QTY	50PCS
Color	Pixel RGBW	Voltage	DC12V
Working T	-20 to 45 Degree	Power	48W/M
PCB Color	White	Beam Angle	120°
IP Rating	IP20	Brightness	2160lm/PCS
Package	Anti-Static Bag	OEM&ODM	Available
Dimension	480mm*240mm	Lifetime	50000hrs
Certificate	ETL, CE, RoHS, Reach...	Warranty	3years

- 1 LED 1CUT **PIXEL WS2815 RGBW** LED Sheet;
- Comes with terminals and connectors, easy to install;
- Free cutting, you can DIY various shapes;
- Lenses with different light-emitting angles can be added, widely applied to counters, light boxes, advertising light boards, etc.







Thanks for your time

Shenzhen Xuanan Lighting Co., Ltd

Website: www.xuananlighting.com

Email: xuananlighting@hotmail.com