

Product selection for work, play and PC builds

Explore the product range

Technical references for product selection and quotation discussions.

Laptops | 3 models / configurations

All-in-One PCs | 20 models / configurations

Mini PCs | 2 models / configurations

PC Cases | 60 models / configurations

Power Supplies | 7 models / configurations

CPU Air Coolers | 10 models / configurations

Liquid CPU Coolers | 2 models / configurations

Case Fans | 14 models / configurations

Monitor Arms | Series overview

Read configuration notes with each entry. Catalogue configurations and options are not a guarantee of the supplied configuration. Confirm specifications, finishes and included items by quotation.

Separate model-specific specification summaries provide additional technical detail. Request a quotation to confirm the supplied configuration, finishes, included items and commercial terms.

Laptops

M140

Laptop



Screen: 14.1 inches, IPS

Processor options: Intel N95 / N100

RAM (catalogue configuration): 16 GB DDR4

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/AOC brochure.pdf [页8]

M160

Laptop



Screen: 16 inches, IPS

Processor: Intel Core i5-8305G


RAM (catalogue configuration): 16 GB DDR4

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/AOC brochure.pdf [页10]

N141

Laptop



Screen options: 14.1 / 15.6 inches, IPS

Processor options: Intel N100 / Core i3 / i5 / i7

RAM (catalogue configuration): 8 GB DDR5

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/AOC brochure.pdf [页7]

All-in-One PCs

E55

Configurable all-in-one PC



Screen size: 23.8 / 27 inches (options)

Processor options: Intel N5095 / N95 / Core i3 / i5 / i7

RAM options: 8 / 16 / 32 / 64 GB DDR4

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/AOC brochure.pdf [页4]

Glory 80A8

All-in-one PC



Screen size: 23.8 inches

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419上半部分_.pdf [页16]

Glory 92A8

All-in-one PC



Screen size: 27 inches

Processor platform: Intel 12th / 13th generation


RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419上半部分_.pdf [页17]

Glory A83A8

All-in-one PC



Screen size: 23.8 inches

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419上半部分_.pdf [页11]

All-in-One PCs

Glory A92A3

All-in-one PC



Screen size: 21.5/23.8/27 inches (catalogue options)

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版
20240419上半部分_.pdf [页12]

Master 925

All-in-one PC



Screen size: 23.8/27 inches (catalogue options)

Processor platform: Intel 12th / 13th generation


RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版
20240419上半部分_.pdf [页4]

Master 926

All-in-one PC



Screen size: 23.8/27 inches (catalogue options)

Processor platform: Intel 12th / 13th generation


RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版
20240419上半部分_.pdf [页6]

Master 926 PLUS

All-in-one PC



Screen size: 23.8/27 inches (catalogue options)

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB


Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版
20240419上半部分_.pdf [页7]

All-in-One PCs

Master 926 Pro

All-in-one PC



Screen size: 21.5/23.8 inches (catalogue options)

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419上半部分_.pdf [页8]

Master E99

All-in-one PC



Screen size: 23.8 inches

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419上半部分_.pdf [页9]

Mermaid 734pro

All-in-one PC



Screen size: 23.8 inches

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419上半部分_.pdf [页19]

Mermaid 923

All-in-one PC



Screen size: 21.45/23.8 inches (catalogue options)

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB


Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419上半部分_.pdf [页21]

All-in-One PCs

Mocha 823

All-in-one PC



Screen size: 23.8 inches

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419下半部分__复制.pdf [页5]

P238G28F

All-in-one PC



Screen size: 23.8 inches

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419下半部分__复制.pdf [页6]

Q series 958

All-in-one PC



Screen size: 29 inches

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419下半部分__复制.pdf [页1]

Rongguang 83A5

All-in-one PC



Screen size: 23.8 inches

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419上半部分_.pdf [页15]

All-in-One PCs

Rongguang 9A1

All-in-one PC



Screen size: 23.8 inches

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419上半部分_.pdf [页13]

Rongguang 9A2

All-in-one PC



Screen size: 23.8 inches

Processor platform: Intel 12th / 13th generation

RAM (catalogue configuration): 16 GB

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版 20240419上半部分_.pdf [页14]

E33

All-in-one PC with metal stand



Screen size: 23.8 / 27 inches (options)

Processor options: Intel N5095 / N95 / Core i3 / i5 / i7 (families; options)

Resolution: 1920 × 1080

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/AOC brochure.pdf [页3]

E66

Configurable all-in-one PC



Screen size: 23.8 / 27 inches (options)

Processor options: Intel N5095 / N95 / Core i3 / i5 / i7 (families; options)

Resolution: 1920 × 1080


Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/AOC brochure.pdf [页2]

Mini PCs

M1

Mini PC




Processor: Intel N95
RAM (catalogue configuration): 16 GB
Dimensions (L × D × H): 89 × 89 × 44 mm

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版
20240419下半部分__复制.pdf [页9]

M9

Mini PC



Processor options: Intel Core i5-12450H / AMD Ryzen 9 5900HX
RAM (catalogue configuration): 16 GB
Dimensions (L × W × H): 154.3 × 77.8 × 188.5 mm

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC catalogue/一体机笔记本/一体机手册英文版
20240419下半部分__复制.pdf [页12]

PC Cases

CB250B

Office PC case



Motherboard support: M-ATX / ITX

Dimensions: 300 × 185 × 350 mm

GPU clearance: 280 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A51:F51]

CB258B

ATX office PC case



Motherboard support: ATX

Dimensions: 380 × 195 × 430 mm

I/O: 2 × USB 2.0 / 1 × USB 3.0

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A52:F52]

CB270B

8 L compact PC case



Motherboard support: M-ATX / ITX

Dimensions: 355 × 95 × 260 mm

Chassis volume: 8 L

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [行业机箱!A4:F4]

CB280B

13 L compact PC case



Motherboard support: M-ATX / ITX

Dimensions: 395 × 102 × 340 mm

Chassis volume: 13 L

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [行业机箱!A3:F3]

CG251B

Glass-side PC case



Motherboard support: M-ATX / ITX

Dimensions: 325 × 195 × 385 mm

GPU clearance: 290 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA50:F50]

CG256B

Hinged-glass PC case



Motherboard support: M-ATX / ITX

Dimensions: 310 × 200 × 385 mm

I/O: 2 × USB 2.0 / 1 × USB 3.0

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA49:F49]

CG275BL

Tempered-glass tower PC case



Motherboard support: E-ATX / ATX / M-ATX / ITX

Dimensions: 450 × 205 × 485 mm

GPU clearance: 420 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA42:F42]

CG353B

Curved-glass mini-tower PC case



Motherboard support: M-ATX / ITX

Dimensions: 460 × 285 × 370 mm

GPU clearance: 400 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA9:F9]

CG353W

Curved-glass mini-tower PC case



Motherboard support: M-ATX / ITX

Dimensions: 460 × 285 × 370 mm

GPU clearance: 400 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A10:F10]

CG355W

Curved-glass panoramic PC case



Motherboard support: M-ATX / ITX

Dimensions: 460 × 285 × 370 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A8:F8]

CG381W

Panoramic PC case



Motherboard support: M-ATX / ITX

Dimensions: 335 × 275 × 325 mm

GPU clearance: 320 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A37:F37]

CG389W

Panoramic PC case



Motherboard support: M-ATX / ITX

Dimensions: 335 × 275 × 327 mm

GPU clearance: 320 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A20:F20]

PC Cases

CG393W

Panoramic PC case



Motherboard support: ATX / M-ATX / ITX

Dimensions: 430 × 218 × 455 mm

GPU clearance: 420 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A27:F27]

CG394B

PC case



Motherboard support: M-ATX / ITX

Dimensions: 450 × 218 × 415 mm

GPU clearance: 420 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A44:F44]

CG395W 电商版

Panoramic PC case



Motherboard support: ATX / M-ATX / ITX

Dimensions: 425 × 285 × 398 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A16:F16]

CG396B

PC case



Motherboard support: E-ATX / ATX / M-ATX / ITX

Dimensions: 470 × 218 × 455 mm

GPU clearance: 420 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A43:F43]

PC Cases

CG399MW

Panoramic PC case



Motherboard support: M-ATX / ITX

Dimensions: 426 × 285 × 373 mm

GPU clearance: 415 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA18:F18]

CG409W

Panoramic PC case



Motherboard support: ATX / M-ATX / ITX

Dimensions: 426 × 285 × 455 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA13:F13]

CG420B

PC case



Motherboard support: E-ATX / ATX / M-ATX / ITX

Dimensions: 470 × 218 × 455 mm

GPU clearance: 420 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA41:F41]

CG421B

PC case



Motherboard support: E-ATX / ATX / M-ATX / ITX

Dimensions: 470 × 218 × 455 mm

GPU clearance: 420 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA40:F40]

CG422B

Panoramic PC case



Motherboard support: ATX / M-ATX

Dimensions: 430 × 218 × 455 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A24:F24]

CG423B

Panoramic PC case



Motherboard support: ATX / M-ATX

Dimensions: 430 × 218 × 455 mm

GPU clearance: 420 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A23:F23]

CG426B

PC case



Motherboard support: ATX / M-ATX

Dimensions: 430 × 218 × 455 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A22:F22]

CG428B

PC case



Motherboard support: E-ATX / ATX / M-ATX / ITX

Dimensions: 470 × 218 × 455 mm

GPU clearance: 420 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A38:F38]

CG429B

Panoramic PC case



Motherboard support: ATX / M-ATX

Dimensions: 430 × 218 × 455 mm

GPU clearance: 420 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA21:F21]

CG443B

Panoramic PC case



Motherboard support: ATX / M-ATX

Dimensions: 425 × 285 × 398 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA14:F14]

CG448B

Panoramic PC case



Motherboard support: ATX / M-ATX

Dimensions: 425 × 285 × 455 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA11:F11]

CG450W

PC case



Motherboard support: ATX

Dimensions: 380 × 208 × 446 mm

GPU clearance: 320 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA48:F48]

PC Cases

CG453W

Curved-glass PC case



Motherboard support: ATX / M-ATX

Dimensions: 460 × 285 × 398 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A6:F6]

CG455W

Curved-glass PC case



Motherboard support: ATX / M-ATX / ITX

Dimensions: 462 × 285 × 399 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A4:F4]

CG460B

PC case



Motherboard support: M-ATX / ITX

Dimensions: 367 × 275 × 354 mm

GPU clearance: 340 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A46:F46]

CG463B

PC case



Motherboard support: M-ATX / ITX

Dimensions: 432 × 275 × 354 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A45:F45]

PC Cases

CG465B

PC case



Motherboard support: ATX / M-ATX / ITX

Dimensions: 465 × 275 × 398 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA39:F39]

CG395B 4F

PC case



Motherboard support: ATX/M-ATX/ITX

Dimensions (L × W × H): 441*275*409mm(LxWxH)

GPU clearance: 410mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [CasesIA9:F9]

CG395B 电商版

Panoramic PC case



Motherboard support: ATX/M-ATX/ITX

Dimensions (L × W × H): 425 × 285 × 398 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA15:F15]

CG409B

Panoramic PC case



Motherboard support: ATX/M-ATX/ITX

Dimensions (L × W × H): 426 × 285 × 455 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA12:F12]

PC Cases

CG409B 5F

PC case



Motherboard support: ATX(Rear Connector)/M-ATX(Rear Connector)/ITX

Dimensions (L × W × H): 426*285*455mm(LxWxH)

GPU clearance: 410mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [Cases!A5:F5]

CG458B 3F

PC case



Motherboard support: ATX/M-ATX/ITX

Dimensions (L × W × H): 374*208*446mm(LxWxH)

GPU clearance: 310mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [Cases!A14:F14]

CB103B

PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 273*168*375mm(LxWxH)

GPU clearance: 225mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [Cases!A20:F20]

CB104B

PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 375*173*400mm(LxWxH)

GPU clearance: 300mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [Cases!A16:F16]

PC Cases

CB108B

PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 310*175*385mm(LxWxH)

GPU clearance: 270mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [Cases!A19:F19]

CB112D

PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 375*190*388mm(LxWxH)

GPU clearance: 334mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [Cases!A18:F18]

CB114B

PC case



Motherboard support: ATX/M-ATX/ITX

Dimensions (L × W × H): 375*190*425mm(LxWxH)

GPU clearance: 330mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [Cases!A17:F17]

CG350B 3F

PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 376*275*354mm(LxWxH)

GPU clearance: 360mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [Cases!A10:F10]

PC Cases

CG381B

Panoramic PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 335 × 275 × 325 mm

GPU clearance: 320 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A36:F36]

CG381B 3F

PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 333*275*323mm(LxWxH)

GPU clearance: 325mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [Cases!A6:F6]

CG391B 3F

PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 355*275*354mm(LxWxH)

GPU clearance: 340mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [Cases!A7:F7]

CG391B 升级版

Panoramic PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 355 × 275 × 354 mm

GPU clearance: 340 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A32:F32]

CG391B 电商版

Panoramic PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 355 × 275 × 354 mm

GPU clearance: 340 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A34:F34]

CG391W 升级版

Panoramic PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 355 × 275 × 354 mm

GPU clearance: 340 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A33:F33]

CG391W 电商版

Panoramic PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 355 × 275 × 354 mm

GPU clearance: 340 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱!A35:F35]

CG392B 3F

PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 425*275*365mm(LxWxH)

GPU clearance: 410mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [Cases!A8:F8]

CG392B 升级版

Panoramic PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 425 × 275 × 354 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA28:F28]

CG392B 电商版

Panoramic PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 425 × 275 × 354 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA30:F30]

CG392W 升级版

Panoramic PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 425 × 275 × 354 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA29:F29]

CG392W 电商版

Panoramic PC case



Motherboard support: M-ATX/ITX

Dimensions (L × W × H): 425 × 275 × 354 mm

GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA31:F31]

PC Cases

CG393B

Panoramic PC case



Motherboard support: ATX/M-ATX/ITX
Dimensions (L × W × H): 430 × 218 × 455 mm
GPU clearance: 420 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA26:F26]

CG393B 3F

PC case



Motherboard support: ATX/M-ATX/ITX
Dimensions (L × W × H): 434*218*466mm(LxWxH)
GPU clearance: 425mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: AOC Catalog-Overseas-2026-9-30.xls [CasesIA13:F13]

CG440B

Panoramic mini-tower PC case



Motherboard support: M-ATX / ITX
Dimensions (L × W × H): 425 × 285 × 370 mm
GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA25:F25]

CG453B

Curved-glass mid-tower PC case



Motherboard support: ATX / M-ATX
Dimensions (L × W × H): 460 × 285 × 398 mm
GPU clearance: 410 mm

Components inside PC case images are illustrative; see included-fan data in the specification summary.

Source: 副本2026AOC机电散产品资料.xls [机箱IA5:F5]

Power Supplies

PS500B0 白牌

500 W PC power supply



Rated power: 500 W

Input voltage: 200–240 V

Motherboard connector: 24-pin; cable length 650 mm

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [安规装甲系列电源!A6:F6]

PS650B0 白牌

650 W PC power supply



Rated power: 650 W

Input voltage: 200–240 V

Motherboard connector: 24-pin; cable length 650 mm

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [安规装甲系列电源!A7:F7]

PS650W0 白牌

650 W PC power supply



Rated power: 650 W

Input voltage: 200–240 V

Motherboard connector: 24-pin; cable length 650 mm

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [安规装甲系列电源!A8:F8]

PS750B0 白牌

750 W PC power supply



Rated power: 750 W

Input voltage: 200–240 V

Motherboard connector: 24-pin; cable length 650 mm

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [安规装甲系列电源!A9:F9]

Power Supplies

A200B0/93

PC power supply



Rated power: 200 W
Input voltage: 200–240 V
Motherboard connector: 24-pin

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [安规装甲系列电源!A3:F3]

A250B0/93

PC power supply



Rated power: 250 W
Input voltage: 200–240 V
Motherboard connector: 24-pin

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [安规装甲系列电源!A4:F4]

A300B0/93

PC power supply



Rated power: 300 W
Input voltage: 200–240 V
Motherboard connector: 24-pin

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [安规装甲系列电源!A5:F5]

CPU Air Coolers

T4A

CPU air cooler



Intel sockets: LGA1851/1700/1366/1200/115X

Heat pipes: 4 × Ø6 mm

Product dimensions (L × W × H): 120 × 80 × 148 mm

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [CPU Air Cooler!A8:F8]

T4A Intel

CPU air cooler



Intel sockets: LGA1851/1700/1366/1200/115X

Heat pipes: 4 × Ø6 mm

Product dimensions (L × W × H): 120 × 80 × 148 mm

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [CPU Air Cooler!A7:F7]

坦克T600C/93 Intel B

CPU air cooler



Intel sockets: 115X / 1366 / 1700

Heat pipes: 6

Height: 148 mm

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [系列散热器!C10:C13]

冰龙200静音版

CPU air cooler



Heat pipes: 2

Height: 95 mm

Catalogue thermal rating: 90 W

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [系列散热器!B14:B36]

CPU Air Coolers

坦克T400C/93-B

CPU air cooler



Intel sockets: 115X / 1366 / 1700

Heat pipes: 4

Height: 148 mm

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [系列散热器IE10:E13]

坦克T600B/93 B

CPU air cooler



Heat pipes: 6

Height: 148 mm

Catalogue thermal rating: 200 W

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [系列散热器B10:B13]

T4NB

CPU air cooler



Intel sockets: LGA1851/1700/1366/1200/115X

Catalogue TDP rating: 210W

AMD sockets: AM5/AM4

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [CPU Air Cooler!A6:F6]

T4RB

CPU air cooler



Intel sockets: LGA1851/1700/1366/1200/115X

Catalogue TDP rating: 210W

AMD sockets: AM5/AM4

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [CPU Air Cooler!A5:F5]

CPU Air Coolers

T6AB

CPU air cooler



Intel sockets: LGA1851/1700/1366/1200/115X

Catalogue TDP rating: 200W

AMD sockets: AM5/AM4/FM2/FM1/AM2+/AM2/AM3+/AM3

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [CPU Air Cooler!A4:F4]

T6RB

Dual-tower ARGB CPU air cooler



Intel sockets: LGA1851/1700/1366/1200/115X

Catalogue TDP rating: 230W

AMD sockets: AM5/AM4

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [CPU Air Cooler!A3:F3]

Liquid CPU Coolers

T360NB黑色

Liquid CPU cooler



Intel sockets: LGA1700 / LGA1851

Radiator dimensions: 397 × 120 × 27 mm

Fan speed: 800–2600 RPM (variable speed)

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [水冷!B2:B27]

T360NW白色

Liquid CPU cooler



Intel sockets: LGA1700 / LGA1851

Radiator dimensions: 397 × 120 × 27 mm

Fan speed: 800–2600 RPM (variable speed)

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [水冷!C2:C27]

Case Fans

T1200RB

ARGB case fan



Dimensions (L × W × H): 120x140x25mm

Fan Speed: 800~1600RPM

Bearing: Hydro bearing

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [Case Fans!A11:F11]

T1200RW

ARGB case fan



Dimensions (L × W × H): 120x140x25mm

Fan Speed: 800~1600RPM

Bearing: Hydro bearing

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [Case Fans!A12:F12]

T120RB

ARGB case fan



Dimensions (L × W × H): 120x120x25mm

Fan Speed: 800~1600RPM

Bearing: Hydro bearing

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [Case Fans!A3:F3]

T120RW

ARGB case fan



Dimensions (L × W × H): 120x120x25mm

Fan Speed: 800~1600RPM

Bearing: Hydro bearing

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [Case Fans!A4:F4]

Case Fans

T122B

ARGB case fan



Dimensions (L × W × H): 120x120x25mm

Fan Speed: 800~1600RPM

Bearing: Hydro bearing

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [Case Fans!A7:F7]

T122RB

ARGB case fan



Dimensions (L × W × H): 120x120x25mm

Fan Speed: 800~1600RPM

Bearing: Hydro bearing

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [Case Fans!A5:F5]

T122RW

ARGB case fan



Dimensions (L × W × H): 120x120x25mm

Fan Speed: 800~1600RPM

Bearing: Hydro bearing

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [Case Fans!A6:F6]

T122W

ARGB case fan



Dimensions (L × W × H): 120x120x25mm

Fan Speed: 800~1600RPM

Bearing: Hydro bearing

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [Case Fans!A8:F8]

Case Fans

T128RB

ARGB case fan



Dimensions (L × W × H): 120x120x25mm

Fan Speed: 800~1600RPM

Bearing: Hydro bearing

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [Case Fans!A9:F9]

T128RW

ARGB case fan



Dimensions (L × W × H): 120x120x25mm

Fan Speed: 800~1600RPM

Bearing: Hydro bearing

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: AOC Catalog-Overseas-2026-9-30.xls [Case Fans!A10:F10]

棱镜八代反叶白色

ARGB frame case fan



Bearing: Hydro bearing

Lighting: ARGB frame; unlit fan blades

Connector: 4-pin fan connector + ARGB male/female connectors

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [风扇!E15:E18]

棱镜八代反叶黑色

ARGB frame case fan



Bearing: Hydro bearing

Lighting: ARGB frame; unlit fan blades

Connector: 4-pin fan connector + ARGB male/female connectors

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [风扇!D15:D18]

Case Fans

棱镜八代白色

ARGB frame case fan



Bearing: Hydro bearing
Lighting: ARGB frame; unlit fan blades
Connector: 4-pin fan connector + ARGB male/female connectors

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [风扇!C15:C18]

棱镜八代黑色

ARGB frame case fan



Bearing: Hydro bearing
Lighting: ARGB frame; unlit fan blades
Connector: 4-pin fan connector + ARGB male/female connectors

Catalogue options/configuration; confirm supplied configuration and included items by quotation.

Source: 副本2026AOC机电散产品资料.xls [风扇!B15:B18]

Monitor Arms - series illustration



Series illustration

Explore monitor arm options for your workspace. Contact our team to discuss display mounting requirements and available models. The image is a series illustration; confirm the model, supplied finish and installation specifications by quotation.

Source: supplied AOC monitor arm series image, embedded in the original Europe product worksheet at AOC!B32. Commercial worksheet content is not included.