
G-POWER

GaN Charger & Power Bank

Professional GaN USB-C PD Charger Manufacturer

ODM & OEM



30+	300+	8,000㎡
R&D team	Professional	Plant area

Company Profile

Foshan G-power Technology Co., Ltd.
is a high-tech enterprise integrating R&D, production and sales. Over the years, we are committed to providing safe, stable and high quality charging solutions to the market.
There are two production bases in Foshan and Vietnam. The domestic production base covers an area of 8,000 square meters and employs 300 people, of which 30 are in the R&D team.
The factory has its own transformer workshop, SMT workshop, and intelligent assembly workshop. which provides high-quality ODM and OEM services for customers at home and abroad.

Factory Certifications & Qualifications

G-power has passed ISO9001:2015,ISO14001:2015, BSCI and other system certificates, and it's chargers and other products have obtained global certificates,including ETL or cTUVus and FCC certificates in the U.S.A.,
PSE certificates in Japan,
SAA and RCM certificates in Australia
CE-LVD, CE-EMC, RoHS, UKCA certificates in Europe,
BSMI certificates in Taiwan,
KC, KCC certifications in Korea and CB certification.

GaN Power
New Cube GaN Series



25W · 45W · 67W · 100W
& Retractable Cable 45W · 65W

P5520
20W



Power
20W 1C

USB Output
C: 5V/3A, 9V/2.22A, 12V/1.67A (Max 20W); PPS: 5V-5.9V/3A; 5V-11V/2A

P5525
25W



Power
25W 1C

USB Output
C: 5V/3A, 9V/2.77A,12V/2.08A (Max 25W); PPS: 5V-11V/2.2A

P5530
30W



Power
30W 1C

USB Output
C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (Max 30W); PPS: 5V-11V/3A

P5645
45W



Power

45W 1C

USB Output

C: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A (Max 45W); AVS1: 9V-15V/3A; AVS2: 9V-20V/2.25A

P4845A
45W



Power

45W 1C1A

USB Output

C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A; PPS: 5V-11V/3A (Max 45W)
A: 5V/3A, 9V/2A, 12V/1.5A

P5445
45W



Power

45W 2C1A

USB Output

C1: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A (Max 45W); PPS: 5V-11V/3A
C2: 5V/3A,9V/2.22A,12V/1.67A (Max 20W); PPS: 5V-11V/1.8A
A: 5V/3A,9V/2A,12V/1.5A (Max 18W)

P4845
45W



Power

45W 2C

USB Output

C1/C2: 5V/3A,9V/3A,12V/3A,15V/3A, 20V/2.25A

P5660
60W



Power

60W 1C

USB Output

C: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3A (Max 60W)
AVS1: 9V-15V/2.67A (DPS: 3A); AVS2: 9V-20V/2A (DPS: 3A)

P5465
65W



Power

65W 2C1A

USB Output

C1/C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A (Max 65W); AVS1: 9V-15V/3A; AVS2: 9V-20V/3A
A: 5V/3A,9V/2A,12V/1.5A (Max 18W)

P1567
67W



Power

67W 2C

USB Output

C1/C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.35A; PPS: 3.3-11V/5A (Max 67W)

P5467
67W



Power

67W 2C1A

USB Output

C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.35A; PPS: 3.3-11V/5A (Max 67W)
A: 5V/3A, 9V/2A, 12V/1.5A (Max 18W)

P5470
70W



Power

70W 2C1A

USB Output

C1/C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.5A (Max 70W)
PPS: 3.3V-11V/5A; AVS: 9V-20V/3A (DPS:3.5A)
A: 5V/3A,9V/2A,12V/1.5A (Max 18W)

P1910A
100W



Power

100W 2C1A

USB Output

C1/C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A (Max 100W); AVS1: 9V-15V/3A; AVS2: 9V-20V/5A
A: 5V/3A,9V/2A,12V/1.5A (Max 18W)

P1910
100W



Power

100W 3C

USB Output

C1/C2/C3: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A; PPS: 5-11V/5A (Max 100W)

P4170
70W



Power

70W 2C

USB Output

C1(retractable cable) PD 65W: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
C2 PD 70W: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.5A

P4010
100W



Power

100W 2C

USB Output

C1(retractable cable) PD 65W: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
C2 PD 100W: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A

GaN Power
Classic Design Series



38 W · 45 W · 60 W · 65 W · 67 W · 100 W · 140 W · 200 W

P438
38W



Power

38W A+C

USB Output

C1: 5V3A, 9V3A, 12V2.5A, 15V2A, 20V1.5A (Max 30W); PPS: 3.3V-5.9V/3A; PPS: 3.3V-11V/3A
A1: 5V3A, 9V2A, 12V1.5A (Max 18W)

P445C
45W



Power

45W A+C

USB Output

C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (Max 45W)
A: 5V/3A, 9V/2A, 12V/1.5A (Max 18W)

P445D
45W



Power

45W 2C

USB Output

C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (Max 45W)

P265I
65W



Power

65W A+2C

USB Output

C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (Max 65W)
A: 5V/3A, 9V/2A, 12V/1.5A (Max 18W)

P460
60W



Power

60W 1C

USB Output

C: (AVS)15.0-20.0Vdc,2.0A [3.0ADPS] or (AVS) 9.0-15.0Vdc,2.67A [3.0A DPS] or 9.0Vdc,3.0A or 5.0Vdc,3.0A

P465
67W



Power

67W 1C

USB Output

C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 20.3V/3.3A (67W Max) PPS: 3.3V-11.0V/5A

P310F
100W



Power

100W A+3C

USB Output

C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)
C3 PD: 5V/3A, 9V/2.22A, 12V/1.67A (20W Max)
A1 QC: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

P1214A
140W





Power

140W 3C

USB Output

C1: 5V/3A,9V/3A,12V/3A,15V/3A, 20V/5A, 28V/5A (140W Max); PPS: 4-11V/5A 4-21V/4A
C2: 5V/3A,9V/3A,12V/3A,15V/3A, 20V/5A (100W Max); PPS: 4-11V/5A 4-21V/4A
C3: 5V/3A,9V/3A,12V/2.5A,15V/2A, 20V/1.5A (30W Max); PPS: 4-11V/3A

P1214C
140W





Power

140W A+2C

USB Output

C1/C2: 5V/3A, 9V/3A, 12V/3A,15V/3A, 20V/5A, 28V/5A (140W Max); PPS: 3.3-11.0V/5A
A1: 5V/3A, 9V/2A, 12V/1.5A , 20V/0.9A (18W Max)

P1214E
140W





Power

140W 3C1A

USB Output

C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max); PPS: 5-11V/5A
C3: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max); PPS: 5-11V/5A
A1 QC: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

P1220
200W





Power

200W 3C1A

USB Output

C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (140W Max); PPS: 5-11V/5A
C3: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max); PPS: 5-11V/5A
A1 QC: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

Classic Design Series With LCD Display



65W · 100W · 160W

P5265 With LCD Display

65W







Power

65W 2C1A

USB Output

C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max); PPS: 5-11.0V/5A (45W Max)
A1: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)

P5010 With LCD Display

100W







Power

100W 2C1A

USB Output

C1/C2 PD: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max); PPS: 5-11.0V/5A (Max 45W)
A1: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30WMax)

P6316 With LCD Display

160W



Power

160W 3C1A

USB Output

C1/C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A,28V/5A (Max 140W)
C3: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A (Max 30W)
A: 5V/3A,9V/2A,12V/1.5A (Max 18W)

Trendy LCD Screen Charger



60 W · 70 W · 100 W

P7360A With LCD Display

60W





Power

60W 1C

USB Output

C1: 5V/3A,9V/3A,12V/3A, 15V/3A,20V/3A (Max 60W)
AVS: 9-15V/3A (DPS 3A)
AVS: 9-20V/2.25A (DPS 3A)

P7570 With LCD Display & retractable cable

70W





Power

70W 3C

USB Output

C1(retractable cable): 5V/3A,9V/3A,12V/3A,
15V/3A,20V/3.25A (Max 65W)
C2/C3: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.5A (Max 70W)

P7510 With LCD Display & retractable cable

100W





Power

100W 3C

USB Output

C1(retractable cable): 5V/3A,9V/3A,12V/3A,
15V/3A,20V/3.25A (Max 65W)
C2/C3: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A (Max 100W)

Premium LCD Display Charger Station



160 W · 240 W

P5724
240W



Power

240W 4C1A1DC

DC Output

240W Max

USB Output

C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (Max 140W)
C3/C4: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (Max 65W)
A: 5V/3A, 9V/2A, 12V/1.5A (Max 18W)

P6516 With retractable cable
160W



Power

160W 5C

USB Output

C1/C2(retractable cable): 5V/3A,9V/3A,12V/3A,
15V/3A,20V/3.25A (Max 65W)
C3: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A,28V/5A (Max 140W)
C4/C5: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A (Max 30W)

GaN Power Travelling Charger Series



45W · 70W · 100W · 140W

P2945
45W



Power

45W 2C

USB Output

C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max)

P2265
70W



Power

70W 2C1A

USB Output

C1/C2: 5V/3A, 9V/3A, 15V/3A, 20.6V/3.4A (70W Max); PPS: 5V-11V/5A, 5V-20V/30A; AVS: 9V-20V/3A (DPS 3A)
A1: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

P2310
100W



Power

100W 3C1A

USB Output

C1/C2 PD: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (Max 100W) PPS: 3.3-21.0V/4.75A (PPS Max 90W)
C3 PD: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.75A (Max 35W) PPS: 3.3-11.0V/3A (PPS Max 30W)
A1 QC: 5V/3A, 9V/2A , 12V/1.5A (Max 18W)

P1114 / 1114B
140W



Power

140W 3C1A

USB Output

C1 PD: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A, 28V/5A (140W Max)
PPS: 4-11V/5A(45W Max) 4-21V/4A (Max 84W)
C2 PD: 5V/3A,9V/3A,12V/3A,15V/3A, 20V/5A (100W Max)
PPS: 4-11V/5A (45W Max) 4-21V/4A (84W Max)
C3 PD: 5V/3A,9V/3A,12V/2.5A,15V/2A, 20V/1.5A (30W Max); PPS: 4-11V/3A (30W Max)
A1 QC: 5V/3A, 9V/2A ,12V/1.5A (18W Max)



P1114C / 1114D
140W



P1114C P1114D

Power

140W 5C2A

USB Output

C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A (Max 140W)
C3/C4/C5: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (Max 65W)
A1/A2: 5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A (Max 30W)

Desktop GaN Station Hub Series



65W · 100W
For Macbook New iPhone Series & iPad

P1865A
65W



Power
65W 2C2A

USB Output
C1/C2 PD: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max); PPS: 3.3-11.0V/5A
A1/A2 QC: 5V/3A, 9V/3A , 12V/3A, 20V/1.8A (36W Max)

P1865B
65W



Power
65W 3C1A

USB Output
C1/C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A (65W Max); PPS: 3.3-11.0V/5A
C3: 5V/3A,9V/3A,12V/2.92A,15V/2.33A,20V/1.75A (35W Max); PPS: 3.3-11.0V/3A
A: 5V/3A,9V/2A,12V/1.5A (18W Max)

P1810A
100W



Power

100W 3C1A

USB Output

C1/C2:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max); PPS: 3.3-21.0V/4.75A (Max 99W)
C3: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max); PPS: 3.3-11.0V/5A (45W Max)
A1 QC: 5V/3A, 9V/2A , 12V/1.5A (18W Max)

P1710A
100W



Power

100W 2C1A+HDMI+2*AC socket

USB Output

AC Socket: 110V/10A (1100W Max)
C1 PD: 5V/1.4A,9V/2.11A,12V/2.33A,15V/2.7A, 20V/4.75A (95W Max)
C2 PD: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A (100W Max); PPS:3.3-21V/5A
A: 5V/0.9A (4.5W Max) support USB3.0
HDMI: 4K/30Hz
C1+C2: PD 57W + PD 30W

P1710B
100W



Power

100W 3C1A+2*AC socket

USB Output

AC socket: 110V/10A (1100W Max)
C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max); PPS: 3.3-21V/4.75A
C3: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max): PPS:3.3-11V/5A
A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

P4410
100W



Power

100W 2C1A + retractable cable

USB Output

C1(retractable cable): 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (Max 65W); PPS: 3.3-11.0V/3A
C2/C3: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (Max 100W); PPS: 3.3-21.0V/4.75A (Max 99W)
A1: 5V/3A, 9V/2A , 12V/1.5A (Max 18W)

GaN Power
Mini Cube GaN Series



20W · 30W · 35W · 67W
For New iPhone Series & iPad

P2720A

20W



Power
20W 1C

Size
31.5 x 31.5 x 32.3 mm

USB Output
C:5V/3A,9V/2.22A,12V/1.67A(MAX 20W); PPS:5V-5.9V/3A; 5V-11V/2A

P1120 / P2720

20W



Power
20W 1C

Size
31.5 x 31.5 x 32.3 mm

USB Output
C:5V/3A,9V/2.22A,12V/1.67A

P1133B / P2733B

30W

Power
30W 1C

Size
31.5 x 31.5 x 32.3 mm

USB Output
5V/3A.9V/3A.12V/2.5A.15V/2A.20V/1.5A
PPS:5V-11V/3A (PPS MAX 30W)



P1133B P2733B

P1135B / P2735B
35W




P1135B P2735B

Power
35W 1C

Size
31.5 x 31.5 x 32.3 mm

USB Output
C:5V/3A.9V/3A.12V/2.91A.15V/2.33A.20V/1.75A
PPS:5V-11V/3A (PPS MAX 30W)

P1320 / P2820
20W




P1320 P2820

Power
20W 1C1A

Size
31.5 x 31.5 x 36.8 mm

USB Output
C1: 5V/3A,9V/2.22A,12V/1.67A (20W Max); PPS: 5V-11V/1.8A
A1: 5V/3A,9V/2A,12V/1.5A (18W Max)
A+C: share 5V/3A

P2820C
20W




Power
20W 2C

Size
31.5 x 31.5 x 36.8 mm

USB Output
C1/C2: 5V/3A,9V/2.22A,12V/1.67A (20W Max); PPS: 5V-11V/1.8A
C1+C2: 5V/3A

P1335B / P2835B
35W




P1335B P2835B

Power
35W 1C1A

USB Output
C:20V/1.75A,15V/2.33A,12V/2.5A,9V/3A,5V/3A
(35W Max); PPS: 5V-11V/3A(PPS MAX 30W)
A: 12V/1.5A,9V/2A,5V/3A (18W Max)

P1435
35W



Power
35W 2C


USB Output
C1/C2: 20V/1.75A, 15V/2.33A, 12V/2.5A, 9V/3A,
5V/3A (Max 35W); PPS: 3.3V-11.0V3A

Ultra-Slim Foldable Plug GaN Wall Charger



65 W · 67 W · 100 W

P6865
65W 2C



Power
65W 2C
USB Output
C1/C2:5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A (Max 65W); PPS:5V-20V/3A

P3967
67W 2C



Power
67W 2C
USB Output
C1/C2: 5V/3A,9V/3A,10V/2A,15V/3A,20V/3.35A (67W Max); PPS: 5-11V/3A

P6710
100W 2C1A



Power
100W 2C1A
USB Output
C1/C2:5V/3A,9V/3A,12V/3A,15V/3A,20V/5A (Max 100W);
PPS:3.3V-11V/5A
A:5V/3A,9V/3A,12V/3A(Max 36W)

GaN Power Power Bank Series



5000 mAh · 10000 mAh

PB231

30W



Power

30W Output: 10000mA

Iutput

5V/3A, 9V/2.22A, 12V/1.67A, 15V1.33A

USB Output

C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A; (Max 30W)
A: 5V/3A, 9V/2A, 12V/1.5A

PB451

With retractable cable

45W



Power

45W Output: 10000mAh

Iutput

5V/3A, 9V/2.22A, 12V/1.67A, 15V/1.33A, 20V/1A

USB Output

C1(retractable cable): 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V 2.25A (45W Max);
PPS: 3.3-11V3A, PPS: 3.3-16V/3A
C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (45W Max); PPS: 3.3-11V/3A, PPS: 3.3-16V/3A
A: 5V/3A, 9V/2A, 12V/1.5A (18W Max)



PB505
5000 mAh



Power

5000mAh

USB Output

Input: 5V/3A, 9V/1.67A
C Charging: 5V3A, 9V/2.22A, 10V/2.25A(SCP), 12V/1.67A
Wireless Charging:
BPP: 5W 5V/1A;
IPHONE: 15W 11V/1.37A;
MPP: 15W 11V/1.37A;
Samsung: 10W 9V/1.12A
EPP: 15W 9V/1.67A
Simultaneous Charging & Discharging(Wire+Wireless) BPP: 5W 5V/1A

PB605
5000 mAh



Power

5000mAh

USB Output

Input: 5V/3A, 9V/1.67A
C Charging: 5V3A, 9V/2.22A, 10V/2.25A(SCP), 12V/1.67A
Wireless charging:
BPP: 5W 5V1A;
IPHONE: 15W 11V/1.37A;
MPP: 15W 11V/1.37A;
Samsung: 10W 9V/1.12A;
EPP: 15W 9V/1.67A;
Simultaneous Charging & Discharging(Wire+Wireless) BPP: 5W 5V/1A



Foshan G-power Technology Co., LTD
Add: B4-702, SXC, No. 1 Fusheng West Rd, Dafuji Community, Ronggui Str,
Shunde Dist, Foshan City, 528300, CN
Tel:(+86)-757-2898 9789
Email:sales@g-pow.cc
Web:www.gpower-charger.com