



LED FILAMENT

More than 10 years of experience in LED

COMPANY INTRODUCTIONS

NINGBO COSMOS LIGHTING is a high-tech manufacture of LED bulb, LED Filament bulb. Factory is located in the beautiful city of China–Ningbo. We are specialized in LED bulb, LED SMD spotlight, LED tube as well as LED project lamp. Since the company built, we hold the business tenet of "quality first, the supremacy of credibility" with elegant styling, exceptional performance, top-ranking skill and good after-sales service. Our products have been sold in Europe, North America, the Middle East, Africa and Southeast Asia and all the products are praised by all the customers.

At present, our employees are more than 100. There are more than 8 production line. In order to provide high quality and competitive price, our company has always focused on research, development and innovation.



NEW



FT140-WTP04



FTG120-WTP04



FPS125-WTP04



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Size(mm)
FT140-WTP04	T140	E27	4w	φ60*155
FTG120-WTP04	G120	E27	4w	φ80*165
FPS125-WTP04	PS125	E27	4w	φ95*180



ST64W2704



G125CW2704



G125XW2704



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
ST64W2704	ST64	E27	4w	230v/110v	400lm	360°	>0.5	φ64*120
G125CW2704	G125	E27	4w	230v/110v	400lm	360°	>0.5	φ125*175
G125XW2704	G125	E27	4w	230v/110v	400lm	360°	>0.5	φ125*175



FG95W2704



FS150W2704



FG150W2704



FLS129W2704



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FG95	G95	E27	4w	230v/110v	400lm	360°	>0.5	φ95*140
FG150	G150	E27	4w	230v/110v	400lm	360°	>0.5	φ150*215
FLS120	LS120	E27	4w	230v/110v	400lm	360°	>0.5	φ120*195
FS1502704	S150	E27	4w	230v/110v	400lm	360°	>0.5	φ150*250



FOG125041



FOG125042



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FOG125041	G125	E27	4w	230v/110v	120lm	360°	>0.5	φ125*255
FOG125042	G125	E27	4w	230v/110v	230lm	360°	>0.5	φ125*255



FCG125041



FCG125043



FCG125042



FCG125044



CRI>80



25000h



On&Off>15000



Protection Class


Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FCG125021	G125	E27	2w	230v/110v	120lm	360°	>0.5	φ125*172
FCG125042	G125	E27	4w	230v/110v	220lm	360°	>0.5	φ125*172
FCG125043	G125	E27	4w	230v/110v	220lm	360°	>0.5	φ125*172
FCG125044	G125	E27	4w	230v/110v	300lm	360°	>0.5	φ125*172



FCDT22004



FDT14004



FDT17004



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FDT22004	T220	E27	4w	230v/110v	120lm	360°	>0.5	φ220*225
FDT14004	T140	E27	4w	230v/110v	120lm	360°	>0.5	φ140*200
FDT17004	T170	E27	4w	230v/110v	120lm	360°	>0.5	φ170*270



RA
CRI>80

25000h

On&Off>15000

IP20
Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FPP14004	PP140	E27	4w	230v/110v	230lm	360°	>0.5	φ145*350
FPS165EA	PS165	E27	4w	230v/110v	230lm	360°	>0.5	φ165*275
FBT18008	BT180	E27	8w	230v/110v	440lm	360°	>0.5	φ180*340
FTT7504	TT75	E27	4w	230v/110v	230lm	360°	>0.5	φ75*330



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FDG20004A	G200	E27	4w	230v/110v	230lm	360°	>0.5	φ200*256
FDT16004	DT160	E27	4w	230v/110v	230lm	360°	>0.5	φ160*230
FPS13004	PS130	E27	4w	230v/110v	230lm	360°	>0.5	φ130*240
FG125E04	G125E	E27	4w	230v/110v	230lm	360°	>0.5	φ125*176
FPS16504	PS165	E27	4w	230v/110v	230lm	360°	>0.5	φ165*300



FPG125041



FPG125042



FPG125043



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FPG125041	G125	E27	4w	230v/110v	100lm	360°	>0.5	φ125*172
FPG125042	G125	E27	4w	230v/110v	100lm	360°	>0.5	φ125*172
FPG125043	G125	E27	4w	230v/110v	100lm	360°	>0.5	φ125*172



FSA6004G

FSST6404G

FSG9504B

FSG12504B



CRI>80



25000h



On&Off>15000



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FSA6004G	A60	E27	4w	230v/110v	120lm	360°	>0.5	φ60*108
FSST6404G	St64	E27	4w	230v/110v	120lm	360°	>0.5	φ64*142
FSG9504B	G95	E27	4w	230v/110v	120lm	360°	>0.5	φ95*140
FSG12504B	G125	E27	4w	230v/110v	120lm	360°	>0.5	φ125*172



FBD7504



FD9504



FST14004



FGS9504



FG79504



FGT12504



FGC11504



FGP9004



FV9004



FGB12504



FGG12504



FNV12504



FOT12004



FBB20004



FNG12004



CRI>80



25000h



On&Off>15000



Protection Class



FTR12504



FN018004



FDI12504



FBV20004



FPS16004



FTT7504



FR28008



FPT10804



FMR20004



FBT16012



FBT18008



FBT11808



FG38008



FUF004



FT10004



CRI>80



25000h



On&Off>15000



Protection Class



FDG20008G



FPS165EG



FDR16004



FTR10004G



FDC12004G



FDC12004A



FCT9504B



PPF9104



FBT5804B



FBT5804A



PPF9104



FV16004



FST12004G



FSG12504DG



FG952704



CRI>80



25000h



On&Off>15000



Protection Class



FSA60041



FSA60042



FSA60043



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FSA60041	A60	E27	4w	230v/110v	280lm	360°	>0.5	φ60*106
FSA60042	A60	E27	4w	230v/110v	120lm	360°	>0.5	φ60*106
FSA60043	A60	E27	4w	230v/110v	230lm	360°	>0.5	φ60*106



T45 | Vertical Spiral



C35T | Vertical Spiral



C35 | Crown Shape



G45 | Vertical Spiral



G45



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
XGY-T4501PA-E4 (PC/PA/PS/PG)	G45	E14 E27	2W / 4W	230v/110v	40-80lm/W	360°	>0.5	Φ45*110	12w
XGY-C35T01PA-E2 (PC/PA/PS/PG)	G45	E14 E27	2W	230v/110v	40-80lm/W	360°	>0.5	Φ35*123	12w
XGY-C3501PA-E2 (PC/PA/PS/PG)	G45	E14 E27	2W	230v/110v	40-80lm/W	360°	>0.5	Φ35*100	12w
XGY-G4501PA-E2 (PC/PA/PS/PG)	G45	E14 E27	2W	230v/110v	40-80lm/W	360°	>0.5	Φ45*75	12w
G45	G45	E14 E27	2W	230v/110v	40-80lm/W	360°	>0.5	Φ45*75	12w



FT3004S



FT2504



FT2002



FST2602



FC2202



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FT3004S	T65	E27	4w	230v/110v	400lm	360°	>0.5	φ32*125
FT2504	T25	E14	4w	230v/110v	400lm	360°	>0.5	φ25*85
FT2002	T20	E14	2w	230v/110v	200lm	360°	>0.5	φ20*85
FST2602	T22	E14	2w	230v/110v	200lm	360°	>0.5	φ26*62
FC2202	C22	E10	2w	230v/110v	200lm	360°	>0.5	φ22*90



FST6504A



FDT3004L



FDT3004M



FDT3003S



FDT3002S



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FST6508A	T65	E27	8w	230v/110v	640lm	360°	>0.5	φ65*285
FDT3004L	T30	E27	4w	230v/110v	280lm	360°	>0.5	φ30*300
FDT3004M	T30	E27	4w	230v/110v	250lm	360°	>0.5	φ30*225
FDT3003S	T30	E27	3w	230v/110v	200lm	360°	>0.5	φ30*185
FDT3002S	T30	E27	2w	230v/110v	140lm	360°	>0.5	φ30*185



FXA6003

FXST6403

FXG9503

FXG12503



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FXA6002	A60	E27	2w	230v/110v	50lm	360°	>0.5	φ60*108
FXST6402	St64	E27	2w	230v/110v	50lm	360°	>0.5	φ64*142
FXG9502	G95	E27	2w	230v/110v	50lm	360°	>0.5	φ95*140
FXG12502	G125	E27	2w	230v/110v	50lm	360°	>0.5	φ125*172



SO1251



SO1252



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
SO1251	G125	E27	4w	230v/110v	320lm	360°	>0.5	φ125*175
So1252	G125	E27	4w	230v/110v	320lm	360°	>0.5	φ125*160



FG4514M

FG4527M

FG12527M

FST6406

FA6027M

FC37T14M

FC3714M



CRI>80



25000h



On&Off>15000



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
FG4514M08 FG4527M08	G45	E14 E27	2w	230v/110v	200lm	360°	>0.5	φ45*79 φ45*73	15w
FG4514M09 FG4527M09	G45	E14 E27	4w	230v/110v	400lm	360°	>0.5	φ45*79 φ45*73	30w
FC3714M08 FC37T14M08	C37	E14 E14	2w	230v/110v	200lm	360°	>0.5	φ37*98 φ37*108	15w
FC3714M09 FC37T14M09	C37	E14 E14	4w	230v/110v	400lm	360°	>0.5	φ37*98 φ37*108	30w
FA6027M06	A60	E27	6w	230v/110v	600lm	360°	>0.5	φ60*106	45w
FA6027M08	A60	E27	8w	230v/110v	800lm	360°	>0.5	φ60*106	60w
FA6027M10	A60	E27	10w	230v/110v	1000lm	360°	>0.5	φ60*106	80w
FG12527M08	G125	E27	8w	230v/110v	800lm	360°	>0.5	φ125*165	60w
FST5806	ST58	E27	6w	230v/110v	600lm	360°	>0.5	φ58*135	45w



FDA6004SN



FDA6004RI



FDA6004GF



FDG9504HE



FDG9504TR



FDG12504HB



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
FDA6004	A60	E27	2w	230v/110v	/	360°	>0.5	φ60*106
FDG9504	G125	E27	2w	230v/110v	/	360°	>0.5	φ95*140
FDG12504	G125	E27	2w	230v/110v	/	360°	>0.5	φ125*172



CRI>80



25000h





On&Off>15000



Protection Class

Item No.	Model	Base	Power	Size(mm)	Packing Size(mm)
FTA60	A60	E27	0.5w	φ60*155	φ85*85*170
FTG80	G80	E27	0.5w	φ80*165	φ85*85*180
FTG95	G95	E27	0.5w	φ95*180	φ95*95*200
FTG125	G125	E27	0.5w	φ125*220	φ125*125*240









NINGBO COSMOS LIGHTING CO.,LTD.
宁波科思莱思照明有限公司
NO.9,ANDA ROAD,FENGSHAN STREET,
YUYAO,ZHEJIANG,China
Tel: 0574 8733 8387