



LED BULB

More than 10 years of experience in LED

COMPANY INTRODUCTIONS

Ningbo COSMOS Lighting Co., Ltd is a high-tech manufacture of LED bulb, LED floodlight, LED outdoor lighting. Factory is located in the beautiful city of China—Ningbo. We are specialized in LED bulb, LED SMD spotlight, LED tube as well as LED project lamp. Since the company built, we hold the business tenet of "quality first, the supremacy of credibility" with elegant styling, exceptional performance, top-ranking skill and good after-sales service. Our products have been sold in Europe, North America, the Middle East, Africa and Southeast Asia and all the products are praised by all the customers.

At present, our employees are more than 300. There are more than 8 production line. In order to provide high quality and competitive price, our company has always focused on research, development and innovation.



REFLECTORS

LED bulbs GU10 3w 5w 6w 7w 8w 9w



*LED bulbs GU10 MR 16 PAR 20 PAR30 PAR38
AR111 GX53 R63*



GU10THDGD



GU10THDTJ



White Black Gold Chrome Matted Chrome Matted Brass Red Bronze



CRl>80



25000h



On&Off>15000



Energy Class



Protection Class

Item No.	Power	Voltage	Lumen	Angle	Material	PF	Size(mm)
GU10THDGD	4.9w/8w	230V	580/960lm	24/36/60°	Ceramic/Aluminum	>0.5	φ69*65
GU10THDTJ	4.9w/8w	230V	580/960lm	24/36/60°	Ceramic/Aluminum	>0.5	φ75*67



GU10ES111



GU10SK



White Black Gold Chrome Matted Chrome Matted Brass Red Bronze

RA

CRI>80

25000h

On&Off>15000

E

Energy Class

IP20

Protection Class

Item No.	Power	Voltage	Lumen	Angle	Material	PF	Size(mm)
GU10ES111	4.9w/8w	230V	580/960lm	24/36/60°	Ceramic/Aluminum	>0.5	φ111*74
GU10SK	4.9w/8w	230V	580/960lm	24/36/60°	Ceramic/Aluminum	>0.5	φ50*58



MDP502705



MDP503907



MDP505009



CRI>80



25000h



On&Off>15000



Energy Class



Protection Class

Item No.	Power	Voltage	Lumen	Angle	Material	PF	Size(mm)
MDP502705	5W	230V	470lm	45°	Plastic+Al	>0.5	φ50*27
MDP503907	7W	230V	650lm	45°	Plastic+Al	>0.5	φ50*39
MDP505009	9W	230V	810lm	45°	Plastic+Al	>0.5	φ50*50




MD502005

MD503007

MD503307 / MD503309

MD354707



Item No.	Power	Voltage	Lumen	Angle	PF	Size(mm)
MD502005	5w	220V-240V	420Lm	120°	>0.5	φ50*H20mm
MD503007	7w	220V-240V	630Lm	60°/38°	>0.5	φ50*H30mm
MD503307	7w	170V-250V	630Lm	36°/60°	>0.5	φ50*H33mm
MD503309	9w	170V-250V	810Lm	36°/60°	>0.5	φ50*H33mm
MD354707	7w	170V-250V	630Lm	12°/15°/24°	>0.5	φ35*H46mm



MD505010C



MD505010L



MD505010M



CRI>80




50000h



Protection Class



Warranty



Item No.	Power	Voltage	Lumen	Angle	PF	Size(mm)
MD505010C	10w	170V-250V	1000Lm	36°/60°	>0.5	φ50*H50mm
MD505010L	10w	170V-250V	1000Lm	36°/60°	>0.5	φ50*H50mm
MD505010M	10w	170V-250V	1000Lm	12°/15°/24°	>0.5	φ50*H50mm



MD503207



back



MD502205



back



MD502805



back



CRI>80






30000h




Protection Class



Warranty



Item No.	Power	Voltage	Lumen	Angle	PF	Size(mm)
MD503207	7w	220V-240V	630Lm	38°	>0.5	φ50*H32mm
MD502205	5w	220V-240V	450Lm	38°/100°	>0.5	φ50*H22mm
MD502805	2.5w-4.5w-5.5w	220V-240V	225Lm/405Lm/500Lm	38°	>0.5	φ50*H28mm



DW1285612



DW824307



DW1035109



CRI>80



25000h



On&Off>15000




Energy Class



Protection Class

Item No.	Power	Voltage	Lumen	Angle	Material	Cuting Size(mm)	Size(mm)
DW824307	7W	230V	630lm	120°	Plastic+Al	φ75	φ82*43
DW1035109	9W	230V	810lm	120°	Plastic+Al	φ95	φ103*51
DW1285612	12W	230V	1080lm	120°	Plastic+Al	φ115	φ128*56



904807



1205112



CRI>80


25000h

On&Off>15000

Energy Class

Protection Class

Item No.	Power	Voltage	Lumen	Angle	Material	Cuting Size(mm)	Size(mm)
SP904807	7W	230V	560lm	60°	Plastic+Al	φ75	φ90*48
SP1205112	12W	230V	1030lm	60°	Plastic+Al	φ95	φ120*51



CRI>80



25000h



On&Off>15000




Energy Class



Protection Class

Item No.	Power	Voltage	Lumen	Angle	Material	Cuting Size(mm)	Size(mm)
872407	4.9W	230V	470lm	60°	Plastic+Al	φ57	φ87*24
CCT872407	4.9W	230V	470lm	60°	Plastic+Al	φ57	φ87*24



CCTDW107




CCTDW0207



- 
CRI>80
- 
25000h
- 
On&Off>15000
- 
Energy Class
- 
Protection Class

Item No.	Power	Voltage	Lumen	Angle	Material	Cuting Size(mm)	Size(mm)
CCTDW0107	7w	230v	630lm	38°	Plastic	φ75	φ105*47
CCTDW0207	7w	230v	630lm	38°	Plastic	φ75	φ105*47



12°



24°



36°



60°



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Power	Voltage	Lumen	Angle	PF	Size(mm)
CCTGu1009	G1010	9w	230v/110v	1000LM	45°	>0.5	φ50*56
RL510L09	Gu10	9w	230v/110v	1000LM	12°/24°/36°/60°	>0.5	φ50*56



RS50L10M



RS50L16M



RS5010M



RS5016M



CRI>80



25000h





On&Off>15000



Energy Class



Protection Class



Item No.	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
RS5010M03 RS5016M03	GU10 GU5.3	3w	230v/110v 12v	240lm	120°	>0.5	φ50*57 φ50*50	20w
RS5010M05 RS5016M05	GU10 GU5.3	5w	230v/110v 12v	400lm	120°	>0.5	φ50*57 φ50*50	35w
RS5010M06 RS5016M06	GU10 GU5.3	6w	230v/110v 12v	480lm	120°	>0.5	φ50*57 φ50*50	40w
RS5010M07 RS5016M07	GU10 GU5.3	7w	230v/110v 12v	560lm	120°	>0.5	φ50*57 φ50*50	45w
RS50L10M05 RS50L16M05	GU10 GU5.3	5w	230v/110v 12v	400lm	38°	>0.5	φ50*57 φ50*50	35w
RS50L10M06 RS50L16M06	GU10 GU5.3	6w	230v/110v 12v	480lm	38°	>0.5	φ50*57 φ50*50	40w
RS50L10M07 RS50L16M07	GU10 GU5.3	7w	230v/110v 12v	560lm	38°	>0.5	φ50*57 φ50*50	45w



RG50L10M



RG5010M



RG5016M



CRI>80



25000h





On&Off>15000



Energy Class



Protection Class



Item No.	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
RG5010M03 RG5016M03	GU10 GU5.3	3w	230v/110v 12V	240lm	120°	>0.5	φ50*57 φ50*50	20w
RG5010M04 RG5016M04	GU10 GU5.3	4w	230v/110v 12V	320lm	120°	>0.5	φ50*57 φ50*50	30w
RG5010M05 RG5016M05	GU10 GU5.3	5w	230v/110v 12V	240lm	120°	>0.5	φ50*57 φ50*50	35w
RG50L10M05	GU10	5w	230v/110v	320lm	38°	>0.5	φ50*57	35w



RL50L10M

RL50L16M

RL5010M

RL5016M



CRI>80



25000h





On&Off>15000



Energy Class



Protection Class



Item No.	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
RL50L10M08 RL50L16M08	GU10 GU5.3	8w	230v/110v 12V	806lm	38°/60°	>0.5	φ50*57 φ50*50	60w
RL50L10M09 RL50L16M09	GU10 GU5.3	9w	230v/110v 12V	900lm	38°/60°	>0.5	φ50*57 φ50*50	65w
RL5010M08 RL5016M08	GU10 GU5.3	8w	230v/110v 12V	806lm	120°	>0.5	φ50*57 φ50*50	60w
RL5010M09 RL5016M09	GU10 GU5.3	9w	230v/110v 12V	900lm	120°	>0.5	φ50*57 φ50*50	65w



RPAR20C27



RPAR30C27



RPAR38C27



CRI>80



25000h






On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
RPAR20C2708	Par20	E27	8w	230v/110v	700lm	38°	>0.5	φ63*82	60w
RPAR30C2712	Par30	E27	12w	230v/110v	1080lm	38°	>0.5	φ95*95	75w
RPAR38C2716	Par38	E27	16w	230v/110v	1440lm	38°	>0.5	φ120*128	100w



RPAR20S27



RPAR30S27



RPAR38S27



CRI>80



25000h





On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
RPAR20S2708	Par20	E27	8w	230v/110v	700lm	120°	>0.5	φ63*91	60w
RPAR30S2712	Par30	E27	12w	230v/110v	1080lm	120°	>0.5	φ95*100	75w
RPAR38S2716	Par38	E27	16w	230v/110v	1440lm	120°	>0.5	φ120*138	100w



RR3914

RR5014

RR6327

RR8027



CRI>80



25000h





On&Off>15000



Energy Class



Protection Class




Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
RR391405	R39	E14	5w	230v/110v	400lm	120°	>0.5	φ39*67	35w
RR501408	R50	E14	8w	230v/110v	640lm	120°	>0.5	φ50*85	45w
RR632710	R63	E27	10w	230v/110v	720lm	120°	>0.5	φ63*100	70w
RR802712	R80	E27	12w	230v/110v	960lm	120°	>0.5	φ80*113	70w

FUNCTION BULBS

LED bulbs A60 G45 E37 GU10



LED SMART Bulbs 3-step Dimmable Bulbs
RGBW Light Sensor


C37

G45

Gu10

Gu10

Mr16


CRI>80



25000h






On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
CCTC3727/1407	C37	E27/E14	7w	230v/110v	630lm	160°	>0.5	φ37*106
CCTG452707	G45	E27	7w	230v/110v	630lm	160°	>0.5	φ45*89
CCGU10PC07		Gu10	7w	230v/110v	630lm	120°	>0.5	φ50*55
CCTGU10LS07		Gu10	7w	230v/110v	595lm	38°	>0.5	φ50*55
CCTGU53LS06	Mr16	GU5.3	6w	230v/110v	510lm	38°	>0.5	φ50*55




CCTA6027M



CCTT4512W



CCTG1202718W



CRI>80



25000h



On&Off>15000




Energy Class



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
CCTA602709	A60	E27	9w	230v/110v	820lm	200°	>0.5	φ60*112
CCTT372707	T37	E27	7w	230v/110v	630lm	160°	>0.5	φ37*113
CCTT4512W	T45	E27	12w	230v/110v	1155lm	200°	>0.5	φ45*139
CCTG1202718W	G120	E27	18w	230v/110v	1820lm	200°	>0.5	φ120*164


CCTED8020
CCTED9030
CCTED10550


CRI>80



25000h



On&Off>15000



Energy Class



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
CCTED8020	ED80	E27	20W	230V	2000lm	300°	>0.5	φ80*190
CCTED9030	ED90	E27	30W	230V	3000lm	300°	>0.9	φ90*220
CCTED10550	ED105	E27	50W	230V	5000lm	300°	>0.9	φ105*260



CRI>80



25000h




On&Off>15000




Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
SLSA6027M07	A60	E27	7w	110-240v	600lm	240°	>0.5	φ60*119	50w
SLSA6027M09	A60	E27	9w	110-240v	820lm	200°	>0.5	φ60*119	55w



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
SMSA6027M07	A60	E27	7w	110-240v	600lm	240°	>0.5	φ60*110	50w
SMSA6027M09	A60	E27	9w	110-240v	820lm	200°	>0.5	φ60*110	55w
SMSA6027L12	A60	E27	12w	110-240v	1155lm	200°	>0.5	φ60*119	70w
SMSA6027L15	A60	E27	15w	110-240v	1521lm	200°	>0.5	φ60*119	100w



EEM702709



CRI>80



25000h



On&Off>15000



Protection Class

Item No.	Model	Base	Power	Voltage	Emergency time	Batery	Size(mm)
EEM602707	A60	E27	7w	230v/110v	2-3hours	800mAh or 1200mAh	φ60*120
EEM702709	A70	E27	9w	230v/110v	2-3hours	800mAh or 1200mAh	φ70*140
EEM802712	A80	E27	12w	230v/110v	2-3hours	600mAh or 1200mAh	φ80*150
EEM902715	A95	E27	15w	230v/110v	2-3hours	800mAh or 1200mAh	φ90*170

BASIC BULBS

LED bulbs A60 7w 9w 10w 12w 15w 17w



*LED bulbs G45 E37 E14 E27 3W 5W 7W 8W
780 7100 7120 7140 7160*



EA6027M



EA6027L



EA6027XL



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
EA6027M07	A60	E27	7w	230v/110v	600lm	240°	>0.5	φ60*110	50w
EA6027M09	A60	E27	9w	230v/110v	820lm	200°	>0.5	φ60*110	55w
EA6027M10	A60	E27	10w	230v/110v	935lm	200°	>0.5	φ60*110	60w
EA6027L12	A60	E27	12w	230v/110v	1155lm	200°	>0.5	φ60*119	80w
EA6027XL15	A60	E27	15w	230v/110v	1521lm	200°	>0.5	φ60*121	100w
EA6027XL15	A60	E27	17w	230v/110v	1700lm	200°	>0.5	φ60*126	120w



EA6527M



EA7027M



EA8027M



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
EA6527M15	A65	E27	15w	230v/110v	1490lm	240°	>0.5	φ65*124
EA7027M18	A70	E27	18w	230v/110v	1280lm	200°	>0.5	φ70*140
EA8027M21	A80	E27	21w	230v/110v	2150lm	200°	>0.5	φ80*147



EG4514S



EG4527S



EG4514L



EG4527L



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
EG4514S04 EG4527S04	G45	E14 E27	4w	230v/110v	340lm	160°	>0.5	φ45*81 φ45*78	30w
EG4527S05 EG4514S05	G45	E14 E27	5w	230v/110v	425lm	160°	>0.5	φ45*81 φ45*78	35w
EG4527M06 EG4514M06	G45	E14 E27	6w	230v/110v	490lm	160°	>0.5	φ45*82 φ45*83	40w
EG4514L07 EG4527L07	G45	E14 E27	7w	230v/110v	600lm	160°	>0.5	φ45*82 φ45*83	45w



EC37T14M



EC3714M



EC3727M



EC3727L



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class




Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
EC3714S04 EC37T14S04 EC3727S04	C37	E14 E14 E27	4w	230v/110v	340lm	160°	>0.5	φ37*106 φ37*133 φ37*106	30w
EC3714S05 EC37T14S05 EC3727S05	C37	E14 E14 E27	5w	230v/110v	425lm	160°	>0.5	φ37*106 φ37*133 φ37*106	35w
EC3714M06 EC37T14M06 EC3727M06	C37	E14 E14 E27	6w	230v/110v	490lm	160°	>0.5	φ37*106 φ37*133 φ37*106	40w
EC3714L07 EC37T14L07 EC3727L07	C37	E14 E14 E27	7w	230v/110v	600lm	160°	>0.5	φ37*106 φ37*133 φ37*106	45w



ET120F27



Model B



CRI>80



25000h



On&Off>15000



Energy Class



Protection Class

Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
ET70F27	T70	E27	15w	230v/110v	1500lm	270°	>0.5	φ70*119	75w
ET80F27	T80	E27	20w	230v/110v	2000lm	270°	>0.5	φ80*149	100w
ET100F27	T100	E27	30w	230v/110v	3000lm	270°	>0.9	φ100*179	150w
ET120F27	T120	E27	40w	230v/110v	4000lm	270°	>0.9	φ120*205	200w
ET140F27	T140	E27	50w	230v/110v	5000lm	270°	>0.9	φ140*230	250w
ET160F27	T160	E27	60w	230v/110v	6000lm	270°	>0.9	φ160*274	300w



LC37T14M



LC3714M



LG4514M



LG4527M



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
LG4514M08 LG4527M08	G45	E14 E27	8w	230v/110v	806lm	160°	>0.5	φ45*90 φ45*84	60w
LG4514M09 LG4527M09	G45	E14 E27	9w	230v/110v	900lm	160°	>0.5	φ45*90 φ45*84	65w
LC3714M08 LC37T14M08	C37	E14 E14	8w	230v/110v	806lm	160°	>0.5	φ37*110 φ37*134	60w
LC3714M09 LC37T14M09	C37	E14 E14	9w	230v/110v	900lm	160°	>0.5	φ37*110 φ37*134	65w



LPA60



LPA70



LPA80



CRI>80



25000h




On&Off>15000



Energy Class



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
LPA602716	A60	E27	16w	230v/110v	1920lm	240°	>0.5	φ60*110
LPA702718	A70	E27	18w	230v/110v	2160lm	200°	>0.5	φ70*145
LPA802722	A80	E27	22w	230v/110v	2640lm	200°	>0.5	φ80*160



LT100A27



CRI>80



25000h




On&Off>15000



Energy Class




Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)
LT80A2720	T80	E27	20w	230v/110v	2000lm	270°	>0.5	φ80*150
LT100A2730	T100	E27	30w	230v/110v	3000lm	270°	>0.9	φ100*185
LT120A2740	T120	E27	40w	230v/110v	4000lm	270°	>0.9	φ120*212
LT140A2750	T140	E27	50w	230v/110v	5000lm	270°	>0.9	φ140*212
LT150S2760	T150	E27	60w	230v/110v	6000lm	270°	>0.9	φ150*260

FILAMENT BULBS

LED bulbs A60 4W 6W 8W 100lm/watt



*Filament LED bulbs G45 E37 E14 E27 2w 4w
764 A60 G120 6w 8w*



FG4514M

FG4527M

FG12527M

FST6406

FA6027M

FC37T14M

FC3714M



CRI>80



25000h



On&Off>15000



Protection Class



Item No.	Model	Base	Power	Voltage	Lumen	Angle	PF	Size(mm)	EQ-Watt
FG4514M08 FG4527M08	G45	E14 E27	2w	230v/110v	200lm	360°	>0.5	φ45*79 φ45*73	15w
FG4514M09 FG4527M09	G45	E14 E27	4w	230v/110v	400lm	360°	>0.5	φ45*79 φ45*73	30w
FC3714M08 FC37T14M08	C37	E14 E14	2w	230v/110v	200lm	360°	>0.5	φ37*98 φ37*108	15w
FC3714M09 FC37T14M09	C37	E14 E14	4w	230v/110v	400lm	360°	>0.5	φ37*98 φ37*108	30w
FA6027M06	A60	E27	6w	230v/110v	600lm	360°	>0.5	φ60*106	45w
FA6027M08	A60	E27	8w	230v/110v	800lm	360°	>0.5	φ60*106	60w
FA6027M10	A60	E27	10w	230v/110v	1000lm	360°	>0.5	φ60*106	80w
FG12527M08	G125	E27	8w	230v/110v	800lm	360°	>0.5	φ125*165	60w
FST5806	ST58	E27	6w	230v/110v	600lm	360°	>0.5	φ58*135	45w

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



NINGBO COSMOS LIGHTING Co.,Ltd.

No.9 Anda Road,Chendong Industry Park,Yuyao,Zhejiang,China

Tel: 0086 574 87338387

web:www.cosmos-light.com