



CERTIFICATE

FOR EUROPEAN PRODUCT SAFETY

Reference No. SE-S-2301229

Cable reel

Type designation:	DG-4ZR-D04, DG-4ZR-DB04, DG-4ZR-25M-D04, DG-4ZR-25M-DB04
Certificate holder:	Cixi Donggong Electric Appliance Co., Ltd. Guanhaiwei Industrial Zone (East section) Cixi, Ningbo, Zhejiang, 315314, China
The product complies with the standard(s):	EN 61242:1997+A1+A2+A13 IEC 60884-1: 2002+A1+A2 SS 428 08 34: 2013+T1 NEK 502: 2016+A1 SFS 5610: 2015+A11
Date of expiry:	24 November, 2028
EU Directive information:	According to the principle of presumption of conformity, this certificate constitutes support for an EU Declaration of Conformity to the Low Voltage Directive 2014/35/EU.

Additional information in Appendix

Certification Body:	Intertek Semko AB, Product Certification	Place:	Shanghai
Signed:		Date:	24 November, 2023

Hyden Li

APPENDIX:

Reference No. SE-S-2301229

Technical Data:

Type designation	DG-4ZR-D04, DG-4ZR-DB04, DG-4ZR-25M-D04, DG-4ZR-25M-DB04
Rated voltage (V)	250~
IP-Class	20
Type of Cord	H05VV-F
Number of conductors	3
Conductor area	3G1,5mm ²
Standard sheet	CEE7/III
Trademark	

Test Report	231100670SHA-001, 231100670SHA-002
Product information	Non-rewirable for portable use, hand operated, with 4-way CEE7/III socket outlet with shutters or without shutters, with a thermal cut-out, with a non-rewirable plug, see Attachment for detail information.

Attachment to certificate

Type	Rated Power full-reeled / unreeled	Cord Information	Outer enclosure diameter	Remark
DG-4ZR-D04	1200W (4,8A) / 3500W (14A)	H05VV-F 3G1,5mm ² (total length 50m)	260mm (for front plate) 115mm (for cable drum)	plastic enclosure and plastic hub, with outlet without shutters, with metal frame
DG-4ZR-DB04	1200W (4,8A) / 3500W (14A)	H05VV-F 3G1,5mm ² (total length 50m)	260mm (for front plate) 115mm (for cable drum)	plastic enclosure and plastic hub, with outlet with shutters, with metal frame
DG-4ZR-25M- D04	1200W (4,8A) / 3500W (14A)	H05VV-F 3G1,5mm ² (total length 25m)	240mm (for front plate) 115mm (for cable drum)	plastic enclosure and plastic hub, with outlet without shutters, with metal frame
DG-4ZR-25M- DB04	1200W (4,8A) / 3500W (14A)	H05VV-F 3G1,5mm ² (total length 25m)	240mm (for front plate) 115mm (for cable drum)	plastic enclosure and plastic hub, with outlet with shutters, with metal frame

Manufacturing Sites:	Cixi Donggong Electric Appliance Co., Ltd. Guanhaiwei Industrial Zone (East section) Cixi, Ningbo, Zhejiang, 315314, China
----------------------	--

APPENDIX:

Reference No. SE-S-2301229

Note: Only type which with shutters can be used for Norway market.

The instruction for use shall be written in a language acceptable according to the national regulation in the country where the product is to be used.

If the product is to be marketed in different European countries, it must be provided with a certified plug appropriate for each country.

According to the principle of presumption of conformity, this certificate, which includes production control, constitutes support for an EU Declaration of Conformity to the Low Voltage Directive 2014/35/EU. This presumption can expire before end of validity of this certificate due to new issued Standard or Amendment and changes within the EU legislation.

Certification Body: Intertek Semko AB, Product Certification **Place:** Shanghai

Signed:  **Date:** 24 November, 2023

Hyden Li



Intertek