

Safety Data Sheet (SDS) Report

SDS number: 240722008SHF01

Applicant: NANHAI DISPLAY LIMITED
Rooms 1318-19, Hollywood Plaza,
610 Nathan Road, Mongkok, Kowloon, HK

Issue Date: 2024-08-05

Sample Description:

The sample information was submitted and identified on client's behalf to be:

Product Name	:	Nano Cloaking Film
Physical State	:	Solid
Data Received	:	Jul 22, 2024
Data Reviewed	:	Aug 04, 2024

Service Requested:

Based on the information provided by the applicant, the Safety Data Sheet (SDS) was generated according to requirements of the Work Safety Regulations, 5758-1998, Amendment 5760-2000, SI 2302 part 1, for details please refer to attached pages.

Authorized By:

On Behalf Of Regulatory Affairs in Intertek Testing Services Ltd., Shanghai



Anna Wang
Technical Manager

This report shall not be reproduced except in full, without the written approval of the laboratory.

Intertek Assuris

5th Floor Building No.86, 1198 QinZhou Road (North),
Cao He jing Development Zone, ShangHai China Zip:200233

Tel: +86 021 53397981
E-mail: hers@intertek.com





Nano Cloaking Film

Safety Data Sheet

according to the Work Safety Regulations, 5758-1998 Amendment 5760-2000
Issue date: 2024.07.29 Revision date: 2024.07.29 Version No: 1.0 SDS Number: 240722008SHF01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Nano Cloaking Film
Other identification : Product Identifier: T0F2; Product Code: B880528251

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Optical Film

1.3. Details of the supplier of the safety data sheet

Applicant
NANHAI DISPLAY LIMITED
Rooms 1318-19, Hollywood Plaza, 610 Nathan Road, Mongkok, Kowloon, HK
999077
T: 86-15902199714, 86-18916202964
joe@nhdfilm.com

Supplier
XIUYA TECHNOLOGY (SHANGHAI) CO., LTD.
Room U22, Building 3, No. 39 Linbao Road, Tinglin Town, Jinshan District, Shanghai 201505, P.R.China
201505
T: 86-21-57525589, 86-15000110024
xu.wangsuo@showyaaa.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to SI 2302 part 1

Skin corrosion/irritation, Category 1, Sub-Category 1A H314
Serious eye damage/eye irritation, Category 1 H318
Specific target organ toxicity – Single exposure, Category 3, H335
Respiratory tract irritation


Adverse physicochemical, human health and environmental effects

May cause respiratory irritation. Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to SI 2302 part 1

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Hazard statements (CLP)

: H314 - Causes severe skin burns and eye damage.
H335 - May cause respiratory irritation.

Precautionary statements (CLP)

: P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.

Nano Cloaking Film

Safety Data Sheet

according to the Work Safety Regulations, 5758-1998 Amendment 5760-2000

P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%
Poly(oxy-1,2-ethanediyloxycarbonyl-1,4-phenylenecarbonyl)	CAS-No.: 25038-59-9	46 – 54
Polyvinyl alcohol	CAS-No.: 9002-89-5	21 – 25
Cellulose, triacetate	CAS-No.: 9012-09-3	14 – 17
Acrylic acid	CAS-No.: 79-10-7	8 – 10

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Acrylic acid	CAS-No.: 79-10-7	(1 ≤ C < 100) STOT SE 3; H335

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest. Call a poison center or a doctor if you feel unwell. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately. Seek medical attention if ill effect or irritation develops.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Seek medical attention if ill effect or irritation develops.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Nano Cloaking Film

Safety Data Sheet

according to the Work Safety Regulations, 5758-1998 Amendment 5760-2000

SECTION 5: Firefighting measures

5.1. Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

- | | |
|--|---|
| Fire hazard | : On combustion forms: Carbon oxides. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. Thermal decomposition can lead to the release of irritating gases and vapours. |

5.3. Advice for firefighters

- | | |
|---------------------------------------|--|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. |
| Protective equipment for firefighters | : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- | | |
|----------------------|--|
| Protective equipment | : Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Wear suitable protective clothing. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. |

For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Ventilate area. |

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| For containment | : Collect spillage. |
| Methods for cleaning up | : Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|---|
| Precautions for safe handling | : Provide good ventilation in process area to prevent formation of vapour. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. |
|-------------------------------|---|

Nano Cloaking Film

Safety Data Sheet

according to the Work Safety Regulations, 5758-1998 Amendment 5760-2000

Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Handle in accordance with good industrial hygiene and safety procedures.
------------------	---

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container tightly closed in a cool, well-ventilated place. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Suitable packaging material	: PE/PVC

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Use eye protection according to ISO 16321-1. Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves. Wear suitable gloves tested to ISO 374-1. protective gloves

Respiratory protection

Respiratory protection:

Wear appropriate mask. Wear suitable respiratory equipment in case of insufficient ventilation

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid, Roll type
Colour	: Grey, Transparent
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not available

Nano Cloaking Film

Safety Data Sheet

according to the Work Safety Regulations, 5758-1998 Amendment 5760-2000

Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Not flammable.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: 79°C
Auto-ignition temperature	: Not applicable
Decomposition temperature	: 80°C
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.3 g/cm ³
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerization will not occur.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in SI 2302 part 1

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Polyvinyl alcohol (9002-89-5)	
LD50 oral rat	23854 mg/kg (Source: NLM_CIP)
Acrylic acid (79-10-7)	
LD50 oral rat	1000 - 2000 mg/kg

Skin corrosion/irritation : Causes severe skin burns.

Nano Cloaking Film

Safety Data Sheet

according to the Work Safety Regulations, 5758-1998 Amendment 5760-2000

Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

Polyvinyl alcohol (9002-89-5)

IARC group	3 - Not classifiable
------------	----------------------

Acrylic acid (79-10-7)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

Other information

Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye
-------------------	--

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

Acrylic acid (79-10-7)

LC50 - Fish [1]	222 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static] Source: IUCLID)
EC50 - Crustacea [1]	95 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Other aquatic organisms [1]	95 mg/l Test organisms (species):
EC50 - Other aquatic organisms [2]	0.06 mg/l
EC50 72h - Algae [1]	0.04 mg/l (Species: Desmodemus subspicatus)
EC50 96h - Algae [1]	0.17 mg/l (Species: Pseudokirchneriella subcapitata)

12.2. Persistence and degradability

Nano Cloaking Film

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

Nano Cloaking Film

Bioaccumulative potential	Not established.
---------------------------	------------------

Acrylic acid (79-10-7)

Partition coefficient n-octanol/water (Log Pow)	0.46 (at 25 °C)
---	-----------------

12.4. Mobility in soil

Acrylic acid (79-10-7)

Mobility in soil	6 – 137 Source: ECHA
------------------	----------------------

Nano Cloaking Film

Safety Data Sheet

according to the Work Safety Regulations, 5758-1998 Amendment 5760-2000

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Dispose of in a safe manner in accordance with local/national regulations.
Ecological waste information : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 3547	UN 3547	UN 3547	UN 3547	UN 3547
14.2. UN proper shipping name				
ARTICLES CONTAINING CORROSIVE SUBSTANCE, N.O.S.	ARTICLES CONTAINING CORROSIVE SUBSTANCE, N.O.S.	Articles containing corrosive substance, n.o.s.	ARTICLES CONTAINING CORROSIVE SUBSTANCE, N.O.S.	ARTICLES CONTAINING CORROSIVE SUBSTANCE, N.O.S.
14.3. Transport hazard class(es)				
8	8	8	8	8
		Not applicable		
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C11
Special provisions (ADR) : 274
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P006, LP03

Nano Cloaking Film

Safety Data Sheet

according to the Work Safety Regulations, 5758-1998 Amendment 5760-2000

Transport category (ADR) : 4
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28
Tunnel restriction code (ADR) : E
EAC code : 2X

Transport by sea

Special provisions (IMDG) : 274, 391
Limited quantities (IMDG) : 0
Excepted quantities (IMDG) : E0
Packing instructions (IMDG) : P006, LP03
Stowage category (IMDG) : B
Stowage and handling (IMDG) : SW2
Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : Forbidden
CAO max net quantity (IATA) : Forbidden
Special provisions (IATA) : A2
ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C11
Special provisions (ADN) : 274, 802
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C11
Special provisions (RID) : 274, 673
Limited quantities (RID) : 0
Excepted quantities (RID) : E0
Packing instructions (RID) : P006, LP03
Transport category (RID) : 4
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW28
Colis express (express parcels) (RID) : CE3

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

according to the Work Safety Regulations, 5758-1998 Amendment 5760-2000

Nano Cloaking Film

Safety Data Sheet

according to the Work Safety Regulations, 5758-1998 Amendment 5760-2000

Issue date : 2024.07.29
Revision date : 2024.07.29

Safety Data Sheet (SDS), IL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.