

Quick Connectors Series

Parameter information

Metric Cannula

	PC	8	02
Serial number			
Tube outer diameter			
4			
6			
8			
10			
12			
14			
16			
Thread type			
01:1/8"			
02:1/4"			
03:3/8"			
04:1/2"			

Trachea outer diameter(Ød)

Code	4	6	8	10	12	14	16
DIA	Ø4	Ø6	Ø8	Ø10	Ø12	Ø14	Ø16

Taper pipe thread(t)

Code	01	02	03	04
Size	1/8"	1/4"	3/8"	1/2"

British cannula

	PC	8	02
Serial number			
Tube outer diameter			
5/32			
1/4			
5/16			
3/8			
1/2			
Thread type			
01:1/8"			
02:1/4"			
03:3/8"			
04:1/2"			

Trachea outer diameter(Ød)

Code	5/32	1/4	5/16	3/8	1/2
DIA	Ø5/32	Ø1/4	Ø5/16	Ø3/8	中1/2


Taper pipe thread(t)

Code	01	02	03	04
Size	1/8"	1/4"	3/8"	1/2"

Technical Parameters


Use fluid		Clean compressed air, vacuum
Maximum operating pressure		1.32Mpa(13.5kgf/cm²)
Pressure range	Normal use pressure	0~0.9Mpa(0~9.2kgf/cm²)
	Pressure Use pressure	-99.99~0Kpa(-750~0mmHg)
Ambient and fluid temperature		0~60℃
Use a hose		PU hose, nylon tube

PU Direct



British cannula	Metric Cannula	D	B
PU5/32	PU-04	Ø4	32
PU1/4	PU-06	Ø6	34
PU5/16	PU-08	Ø8	38
PU3/8	PU-10	Ø10	47.2
PU1/2	PU-12	Ø12	48.6
	PU-14	Ø14	51
	PU-16	Ø16	51.5

PV L-type two-way




Briish cannula	MericCannula	D	E	d
PV5/32	PV-04	Ø4	32	4
PV1/4	PV-06	Ø6	34	4
PV5/16	PV-08	Ø8	38	4
PV3/8	PV-10	Ø10	47.2	4.5
PV1/2	PV-12	Ø12	48.6	4.5
	PV-14	Ø14	51	5
	PV-16	Ø16	51.5	5

PE T-type tee




Briish cannula	MericCannula	D	B	E	F	d
PE5/32	PE-04	Ø4	35.4	17.7	16	4
PE1/4	PE-06	Ø6	38	19	17.5	4
PE5/16	PE-08	Ø8	44.3	22.2	17.5	4
PE3/8	PE-10	Ø10	54.5	27.3	23.8	4.5
PE1/2	PE-12	Ø12	58	29	26.8	4.5
	PE-14	Ø14	62.5	31.3	29.7	5
	PE-16	Ø16	64.3	32.2	29.7	5

PY Y-type tee




Briish cannula	MericCannula	D	B	J	d
PY5/32	PY-04	Ø4	34.5	12	4
PY1/4	PY-06	Ø6	36.5	12.5	4
PY5/16	PY-08	Ø8	40	14.8	4
PY3/8	PY-10	Ø10	48.5	18	4
PY1/2	PY-12	Ø12	50.5	22	4.5
	PY-14	Ø14	64	27	5
	PY-16	Ø16	65	27	5

PZA Cross four-way




Briish cannula	MericCannula	D	E	F	d
PZA5/32	PZA-04	Ø4	17	12	4
PZA1/4	PZA-06	Ø6	19.3	12.5	4
PZA5/16	PZA-08	Ø8	22.7	14.8	4
PZA3/8	PZA-10	Ø10	27	18	4
PZA1/2	PZA-12	Ø12	28.8	22	4

PK Cross four-way




Briish cannula	MericCannula	D	B	F	J	d
PK5/32	PK-04	Ø4	61.2	38.6	11.7	3.5
PK1/4	PK-06	Ø6	65	41.5	13	3.5
PK5/16	PK-08	Ø8	78.5	48.2	14.6	4
PK3/8	PK-10	Ø10	93.2	59.5	18.6	4.5
PK1/2	PK-12	Ø12	105	69.8	22.2	4.5

PC Threaded straight




British cannula	Metric Cannula	D	R	A	B	H1	H2
PC5/32-M5	PC 04-M5	Φ4	M5	3.5	20.5	10	2
PC5/32-01	PC 04-01	Φ4	1/8	7	19.2	10	3
PC5/32-02	PC 04-02	Φ4	1/4	9	18	14	3
PC5/32-03	PC 04-03	Φ4	3/8	9	18	17	3
PC1/4-M5	PC 06-M5	Φ6	M5	3.5	20.2	12	2
PC1/4-01	PC 06-01	Φ6	1/8	7	20.8	12	4
PC1/4-02	PC 06-02	Φ6	1/4	9	20.8	14	4
PC1/4-03	PC 06-03	Φ6	3/8	9	19	17	4
PC1/4-04	PC 06-04	Φ6	1/2	11	21.8	21	4
PC5/16-01	PC 08-01	Φ8	1/8	7	24	14	5
PC5/16-02	PC 08-02	Φ8	1/4	9	23.6	14	6
PC5/16-03	PC 08-03	Φ8	3/8	9	20.3	17	6
PC5/16-04	PC 08-04	Φ8	1/2	11	22.2	21	6
PC3/8-01	PC 10-01	Φ10	1/8	7	27.8	17	5
PC3/8-02	PC 10-02	Φ10	1/4	9	26.6	17	6
PC3/8-03	PC 10-03	Φ10	3/8	9	26.6	17	8
PC3/8-04	PC 10-04	Φ10	1/2	11	23.7	21	8
PC1/2-01	PC 12-01	Φ12	1/8	7	29.8	19	5
PC1/2-02	PC 12-02	Φ12	1/4	9	32	19	6
PC1/2-03	PC 12-03	Φ12	3/8	9	28.8	19	8
PC1/2-04	PC 12-04	Φ12	1/2	11	25.7	21	8
	PC 14-02	Φ14	1/4	9	32.5	24	6
	PC 14-03	Φ14	3/8	9	32.2	24	8
	PC 14-04	Φ14	1/2	11	31.7	24	10
	PC 14-06	Φ14	3/4	15	29.7	24	10
	PC 16-02	Φ16	1/4	9	32.5	24	6
	PC 16-03	Φ16	3/8	9	32.2	24	8
	PC 16-04	Φ16	1/2	11	32	24	10
	PC 16-06	Φ16	3/4	15	30	27	10

PCF Internal thread straight




British cannula	Metric Cannula	D	R	A	B	H1
PCF5/32-M5	PCF 04-M5	Φ4	M5	5	21.5	10
PCF5/32-01	PCF 04-01	Φ4	1/8	8	24.5	10
PCF5/32-02	PCF 04-02	Φ4	1/4	11	27.5	14
PCF5/32-03	PCF 04-03	Φ4	3/8	11	27.5	17
PCF1/4-M5	PCF 06-M5	Φ6	M5	5	22	10
PCF1/4-01	PCF 06-01	Φ6	1/8	8	25	12
PCF1/4-02	PCF 06-02	Φ6	1/4	11	28	14
PCF1/4-03	PCF 06-03	Φ6	3/8	11	28	17
PCF1/4-04	PCF 06-04	Φ6	1/2	12.5	29.5	21
PCF5/16-01	PCF 08-01	Φ8	1/8	8	25.8	14
PCF5/16-02	PCF 08-02	Φ8	1/4	11	29	14
PCF5/16-03	PCF 08-03	Φ8	3/8	11	29	17
PCF5/16-04	PCF 08-04	Φ8	1/2	12.5	30.8	21
PCF3/8-01	PCF 10-01	Φ10	1/8	8	29	17
PCF3/8-02	PCF 10-02	Φ10	1/4	11	32	17
PCF3/8-03	PCF 10-03	Φ10	3/8	11	32	17
PCF3/8-04	PCF 10-04	Φ10	1/2	12.5	33.5	21
PCF1/2-01	PCF 12-01	Φ12	1/8	8	30.5	19
PCF1/2-02	PCF 12-02	Φ12	1/4	11	33.5	19
PCF1/2-03	PCF 12-03	Φ12	3/8	11	33.5	19
PCF1/2-04	PCF 12-04	Φ12	1/2	12.5	35	21

PL L-type threaded union




British cannula	Metric Cannula	D	R	A	B	H	E	Φ d
PL5/32-M5	PL 04-M5	Φ 4	M5	3.5	17.5	8	18	Φ 3.2
PL5/32-01	PL 04-01	Φ 5	1/8	7	24.5	10	18.2	Φ 3.2
PL5/32-02	PL 04-02	Φ 4	1/4	9	27	14	18.2	Φ 3.2
PL5/32-03	PL 04-03	Φ 4	3/8	9	27	17	18.2	
PL1/4-M5	PL 06-M5	Φ 6	M5	3.5	18.4	8	20	Φ 4
PL1/4-01	PL 06-01	Φ 6	1/8	7	25.8	12	19.3	Φ 4
PL1/4-02	PL 06-02	Φ 6	1/4	9	28.8	14	19.3	Φ 4
PL1/4-03	PL 06-03	Φ 6	3/8	9	28.3	17	19.3	Φ 4
PL1/4-04	PL 06-04	Φ 6	1/2	11	30.8	21	19.3	Φ 4
PL5/16-01	PL 08-01	Φ 8	1/8	7	27.7	14	21.7	Φ 4
PL5/16-02	PL 08-02	Φ 8	1/4	9	30	14	21.7	Φ 4
PL5/16-03	PL 08-03	Φ 8	3/8	9	30	17	21.7	Φ 4
PL5/16-04	PL 08-04	Φ 8	1/2	11	34	21	21.7	Φ 4
PL3/8-01	PL 10-01	Φ 10	1/8	7	33	17	27	Φ 4.5
PL3/8-02	PL 10-02	Φ 10	1/4	9	35	17	27	Φ 4.5
PL3/8-03	PL 10-03	Φ 10	3/8	9	35	17	27	Φ 4.5
PL3/8-04	PL 10-04	Φ 10	1/2	11	38	21	27	Φ 4.5
PL1/2-01	PL 12-01	Φ 12	1/8	7	34.8	21	29.3	Φ 4.5
PL1/2-02	PL 12-02	Φ 12	1/4	9	36.3	21	29.3	Φ 4.5
PL1/2-03	PL 12-03	Φ 12	3/8	9	37.3	21	29.3	Φ 4.5
PL1/2-04	PL 12-04	Φ 12	1/2	11	38.8	21	29.3	Φ 4.5
	PL 14-02	Φ 14	1/4	9	39.5	24	31.5	Φ 4.5
	PL 14-03	Φ 14	3/8	9	39.5	24	31.5	Φ 5.2
	PL 14-04	Φ 14	1/2	11	41	24	31.5	Φ 5.2
	PL 14-06	Φ 14	3/4	15	45	24	31.5	Φ 5.2
	PL 16-02	Φ 16	1/4	9	39.5	24	31.5	Φ 5.2
	PL 16-03	Φ 16	3/8	9	39.5	24	31.5	Φ 5.2
	PL 16-04	Φ 16	1/2	11	41	24	31.5	Φ 5.2
	PL 16-06	Φ 16	3/4	15	45	27	31.5	

PLF L-type internal thread two-way




British cannula	Metric Cannula	D	R	A	B	HJ1
PLF5/32-M5	PLF04-M5	Φ4	M5	5	21.5	10
PLF5/32-01	PLF04-01	Φ4	1/8	8	24.5	10
PLF5/32-02	PLF04-02	Φ4	1/4	11	27.5	14
PLF5/32-03	PLF04-03	Φ4	3/8	11	27.5	17
PLF1/4-M5	PLF06-M5	Φ6	M5	5	22	12
PLF1/4-01	PLF06-01	Φ6	1/8	8	25	12
PLF1/4-02	PLF06-02	Φ6	1/4	11	28	14
PLF1/4-03	PLF06-03	Φ6	3/8	11	28	17
PLF1/4-04	PLF06-04	Φ6	1/2	12.5	29.5	21
PLF5/16-01	PLF08-01	Φ8	1/8	8	25.8	14
PLF5/16-02	PLF08-02	Φ8	1/4	11	29	14
PLF5/16-03	PLF08-03	Φ8	3/8	11	29	17
PLF5/16-04	PLF08-04	Φ8	1/2	12.5	30.8	21
PLF3/8-01	PLF10-01	Φ10	1/8	8	29	17
PLF3/8-02	PLF10-02	Φ10	1/4	11	32	17
PLF3/8-03	PLF10-03	Φ10	3/8	11	32	17
PLF3/8-04	PLF10-04	Φ10	1/2	12.5	33.5	21
PLF1/2-01	PLF12-01	Φ12	1/8	8	30.5	19
PLF1/2-02	PLF12-02	Φ12	1/4	11	33.5	19
PLF1/2-03	PLF12-03	Φ12	3/8	11	33.5	19
PLF1/2-04	PLF12-04	Φ12	1/2	12.5	35	21

PD T-type side tee external thread



British cannula	Metric Cannula	D	R	A	B	H	E	Ød
PD5/32-M5	PD 04-M5	Ø4	M5	3.5	40.8	10	18.2	Ø3.2
PD5/32-01	PD 04-01	Ø4	1/8	7	43.2	10	18.2	Ø3.2
PD5/32-02	PD 04-02	Ø4	1/4	9	46.5	14	18.2	Ø3.2
PD5/32-03	PD 04-03	Ø4	3/8	9	46.5	17	18.2	Ø3.2
PD1/4-M5	PD 06-M5	Ø6	M5	3.5	41.5	10	19	Ø4
PD1/4-01	PD 06-01	Ø6	1/8	7	44.2	12	19	Ø4
PD1/4-02	PD 06-02	Ø6	1/4	9	46.5	14	19	Ø4
PD1/4-03	PD 06-03	Ø6	3/8	9	46.5	17	19	Ø4
PD1/4-04	PD 06-04	Ø6	1/2	11	50	21	19	Ø4
PD5/16-01	PD 08-01	Ø8	1/8	7	51.5	14	23	Ø4
PD5/16-02	PD 08-02	Ø8	1/4	9	51.5	14	23	Ø4
PD5/16-03	PD 08-03	Ø8	3/8	9	53.5	17	23	Ø4
PD5/16-04	PD 08-04	Ø8	1/2	11	56.5	21	27	Ø4.5
PD3/8-01	PD 10-01	Ø10	1/8	7	60.8	17	27	Ø4.5
PD3/8-02	PD 10-02	Ø10	1/4	9	62.8	17	27	Ø4.5
PD3/8-03	PD 10-03	Ø10	3/8	9	62.8	17	27	Ø4.5
PD3/8-04	PD 10-04	Ø10	1/2	11	66	21	27	Ø4.5
PD1/2-01	PD 12-01	Ø12	1/8	7	64.5	21	29.3	Ø4
PD1/2-02	PD 12-02	Ø12	1/4	9	66.5	21	29.3	Ø4
PD1/2-03	PD 12-03	Ø12	3/8	9	66.5	21	29.3	Ø4
PD1/2-04	PD 12-04	Ø12	1/2	11	69.5	21	29.3	Ø4
	PD 14-02	Ø14	1/4	9	71	24	31.5	Ø5
	PD 14-03	Ø14	3/8	9	71	24	31.5	Ø5
	PD 14-04	Ø14	1/2	11	73	24	31.5	Ø5
	PD 14-06	Ø14	3/4	15	75	24	31.5	Ø5
	PD 16-02	Ø16	1/4	9	71	24	31.5	Ø5
	PD 16-03	Ø16	3/8	9	71	24	31.5	Ø5
	PD 16-04	Ø16	1/2	11	73	24	31.5	Ø5
	PD 16-06	Ø16	3/4	15	79	27	31.5	Ø5

PB T-type threaded tee



British cannula	Metric Cannula	D	R	A	B	H	E	Ød
PB5/32-M5	PB 04-M5	Ø4	M5	3.5	22	10	18.2	Ø3.2
PB5/32-01	PB 04-01	Ø4	1/8	7	25	10	18.2	Ø3.2
PB5/32-02	PB 04-02	Ø4	1/4	9	27	14	18.2	Ø3.2
PB5/32-03	PB 04-03	Ø4	3/8	9	27	17	19	Ø4
PB1/4-M5	PB 06-M5	Ø6	M5	3.5	22	10	19	Ø4
PB1/4-01	PB 06-01	Ø6	1/8	7	26.5	12	19	Ø4
PB1/4-02	PB 06-02	Ø6	1/4	9	28.2	14	19	Ø4
PB1/4-03	PB 06-03	Ø6	3/8	9	28.2	17	19	Ø4
PB1/4-04	PB 06-04	Ø6	1/2	11	31	21	19	Ø4
PB5/16-01	PB 08-01	Ø8	1/8	7	28.5	14	23	Ø4
PB5/16-02	PB 08-02	Ø8	1/4	9	30.5	14	23	Ø4
PB5/16-03	PB 08-03	Ø8	3/8	9	30.5	17	23	Ø4
PB5/16-04	PB 08-04	Ø8	1/2	11	33.5	21	23	Ø4
PB3/8-01	PB 10-01	Ø10	1/8	7	33.6	17	27	Ø4.5
PB3/8-02	PB 10-02	Ø10	1/4	9	35.6	17	27	Ø4.5
PB3/8-03	PB 10-03	Ø10	3/8	9	35.6	17	27	Ø4.5
PB3/8-04	PB 10-04	Ø10	1/2	11	38.6	21	27	Ø4.5
PB1/2-01	PB 12-01	Ø12	1/8	7	35.5	21	29.3	Ø4
PB1/2-02	PB 12-02	Ø12	1/4	9	37.5	21	29.3	Ø4
PB1/2-03	PB 12-03	Ø12	3/8	9	37.5	21	29.3	Ø4
PB1/2-04	PB 12-04	Ø12	1/2	11	39.5	21	29.3	Ø4
	PB 14-02	Ø14	1/4	9	40	24	31.5	Ø5
	PB 14-03	Ø14	3/8	9	40	24	31.5	Ø5
	PB 14-04	Ø14	1/2	11	42	24	31.5	Ø5
	PB 14-06	Ø14	3/4	15	48	24	31.5	Ø5
	PB 16-02	Ø16	1/4	9	40	24	31.5	Ø5
	PB 16-03	Ø16	3/8	9	40	24	31.5	Ø5
	PB 16-04	Ø16	1/2	11	42	24	31.5	Ø5
	PB 16-06	Ø16	3/4	15	48	27	31.5	Ø5

PX Y-type threaded tee



British cannula	Metric Cannula	D	R	A	B	H	J	Ød
PX5/32-M5	PX 04-M5	Ø4	M5	3.5	39	10	12	Ø3.2
PX5/32-01	PX 04-01	Ø4	1/8	7	41.5	10	12	Ø3.2
PX5/32-02	PX 04-02	Ø4	1/4	9	43.5	14	12	Ø3.2
PX5/32-03	PX 04-03	Ø4	3/8	9	43.5	17	12	Ø3.2
PX1/4-M5	PX 06-M5	Ø6	M5	3.5	41	10	12.5	Ø4
PX1/4-01	PX 06-01	Ø6	1/8	7	43	12	12.5	Ø4
PX1/4-02	PX 06-02	Ø6	1/4	9	45	14	12.5	Ø4
PX1/4-03	PX 06-03	Ø6	3/8	9	45	17	12.5	Ø4
PX1/4-04	PX 06-04	Ø6	1/2	11	48	21	12.5	Ø4
PX5/16-01	PX 08-01	Ø8	1/8	7	46	14	14.8	Ø4
PX5/16-02	PX 08-02	Ø8	1/4	9	48	14	14.8	Ø4
PX5/16-03	PX 08-03	Ø8	3/8	9	48	17	14.8	Ø4
PX5/16-04	PX 08-04	Ø8	1/2	11	51	21	14.8	Ø4
PX3/8-01	PX 10-01	Ø10	1/8	7	54.5	17	18	Ø4.5
PX3/8-02	PX 10-02	Ø10	1/4	9	56.5	17	18	Ø4.5
PX3/8-03	PX 10-03	Ø10	3/8	9	56.5	17	18	Ø4.5
PX3/8-04	PX 10-04	Ø10	1/2	11	59.5	21	18	Ø4.5
PX1/2-01	PX 12-01	Ø12	1/8	7	56.5	21	22	Ø4
PX1/2-02	PX 12-02	Ø12	1/4	9	58.5	21	22	Ø4
PX1/2-03	PX 12-03	Ø12	3/8	9	58.5	21	22	Ø4
PX1/2-04	PX 12-04	Ø12	1/2	11	60.5	21	22	Ø4
	PX 14-02	Ø14	1/4	9	72	24	27	Ø5
	PX 14-03	Ø14	3/8	9	72	24	27	Ø5
	PX 14-04	Ø14	1/2	11	74	24	27	Ø5
	PX 14-06	Ø14	3/4	15	80	24	27	Ø5
	PX 16-02	Ø16	1/4	9	72	24	27	Ø5
	PX 16-03	Ø16	3/8	9	72	24	27	Ø5
	PX 16-04	Ø16	1/2	11	74	24	27	Ø5
	PX 16-06	Ø16	3/4	15	80	27	27	Ø5

PK Y-type threaded tee



British cannula	Metric Cannula	D	R	A	B	H	J	F	d
PKB 5/32-M5	PKB 04-M5	Ø4	M5	3.5	65.3	10	11.7	38.6	3.5
PKB 5/32-01	PKB 04-01	Ø4	1/8	7	68.8	10	11.7	38.6	3.5
PKB 5/32-02	PKB 04-02	Ø4	1/4	9	70.8	14	11.7	38.6	3.5
PKB 1/4-M5	PKB 06-M5	Ø6	M5	3.5	68.5	12	13	41.5	3.5
PKB 1/4-01	PKB 06-01	Ø6	1/8	7	72	12	13	41.5	3.5
PKB 1/4-02	PKB 06-02	Ø6	1/4	9	74	14	13	41.5	3.5
PKB 1/4-03	PKB 06-03	Ø6	3/8	9	74	17	13	41.5	3.5
PKB 1/4-04	PKB 06-04	Ø6	1/2	11	77	21	13	41.5	3.5
PKB 5/16-01	PKB 08-01	Ø8	1/8	7	86.8	14	14.6	48.2	4
PKB 5/16-02	PKB 08-02	Ø8	1/4	9	88.8	14	14.6	48.2	4
PKB 5/16-03	PKB 08-03	Ø8	3/8	9	88.8	17	14.6	48.2	4
PKB 5/16-04	PKB 08-04	Ø8	1/2	11	91.8	21	14.6	48.2	4
PKB 3/8-01	PKB 10-01	Ø10	1/8	7	99.5	17	18.6	59.5	4.5
PKB 3/8-02	PKB 10-02	Ø10	1/4	9	101.5	17	18.6	59.5	4.5
PKB 3/8-03	PKB 10-03	Ø10	3/8	9	101.5	17	18.6	59.5	4.5
PKB 3/8-04	PKB 10-04	Ø10	1/2	11	104.5	21	18.6	59.5	4.5
PKB 1/2-01	PKB 12-01	Ø12	1/8	7	110	21	22.2	69.8	4.5
PKB 1/2-02	PKB 12-02	Ø12	1/4	9	112	21	22.2	69.8	4.5
PKB 1/2-03	PKB 12-03	Ø12	3/8	9	112	21	22.2	69.8	4.5
PKB 1/2-04	PKB 12-04	Ø12	1/2	11	115	21	22.2	69.8	4.5

PLL L-type extended threaded two-way




British cannula	Metric Cannula	D	R	A	B	H	J	F	d
PLL5/32-01	PLL 04-01	Ø4	1/8	7	17	34.5	10	18.2	Ø3.2
PLL5/32-02	PLL 04-02	Ø4	1/4	9	19	37	14	18.2	Ø3.2
PLL1/4-M5	PLL 04-03	Ø4	3/8	9	19	37	17	18.2	Ø3.2
PLL1/4-01	PLL 06-01	Ø6	1/8	7	17	35.8	12	19.3	Ø4
PLL1/4-02	PLL 06-02	Ø6	1/4	9	19	38.8	14	19.3	Ø4
PLL1/4-03	PLL 06-03	Ø6	3/8	9	19	38.3	17	19.3	Ø4
PLL1/4-04	PLL 06-04	Ø6	1/2	11	21	40.8	21	19.3	Ø4
PLL5/16-01	PLL 08-01	Ø8	1/8	7	17	37.7	14	21.7	Ø4
PLL5/16-02	PLL 08-02	Ø8	1/4	9	19	40	14	21.7	Ø4
PLL5/16-03	PLL 08-03	Ø8	3/8	9	19	40	17	21.7	Ø4
PLL5/16-04	PLL 08-04	Ø8	1/2	11	21	44	21	21.7	Ø4
PLL3/8-01	PLL 10-01	Ø10	1/8	7	17	43	17	27	Ø4
PLL3/8-02	PLL 10-02	Ø10	1/4	9	19	45	17	27	Ø4
PLL3/8-03	PLL 10-03	Ø10	3/8	9	19	45	17	27	Ø4
PLL3/8-04	PLL 10-04	Ø10	1/2	11	21	48	21	27	Ø4
PLL1/2-01	PLL 12-01	Ø12	1/8	7	17	44.8	21	29.3	Ø4.5
PLL1/2-02	PLL 12-02	Ø12	1/4	9	19	46.3	21	29.3	Ø4.5
PLL1/2-03	PLL 12-03	Ø12	3/8	9	19	47.3	21	29.3	Ø4.5
PLL1/2-04	PLL 12-04	Ø12	1/2	11	21	48.8	21	29.3	Ø4.5
	PLL 14-02	Ø14	1/4	9	19	49.5	24	31.5	Ø5.2
	PLL 14-03	Ø14	3/8	9	19	49.5	24	31.5	Ø5.2
	PLL 14-04	Ø14	1/2	11	21	51	24	31.5	Ø5.2
	PLL 14-06	Ø14	3/4	15	25	55	24	31.5	Ø5.2
	PLL 16-02	Ø16	1/4	9	19	49.5	24	31.5	Ø5.2
	PLL 16-03	Ø16	3/8	9	19	49.5	24	31.5	Ø5.2
	PLL 16-04	Ø16	1/2	11	21	51	24	31.5	Ø5.2
	PLL 16-06	Ø16	3/4	15	25	55	27	31.5	Ø5.2

SL Throttle valve




British cannula	Metric Cannula	D1	D2	B	F	J	A	J
SL5/32-M5	SL04-M5	Ø4	M5	16.5	20	11.7	3.5	8
SL5/32-01	SL04-01	Ø4	1/8	24.5	41.5	13	7.5	10
SL5/32-02	SL04-02	Ø4	1/4	28.7	25.8	14.6	9	14
SL1/4-M5	SL06-M5	Ø6	M5	16.5	20	18.6	3.5	8
SL1/4-01	SL06-01	Ø6	1/8	24.5	22.5	22.2	7.5	10
SL1/4-02	SL06-02	Ø6	1/4	28.7	24.7	11.7	9	14
SL1/4-03	SL06-03	Ø6	3/8	33.4	26.6	13	10	19
SL1/4-04	SL06-04	Ø6	1/2	38.5	29.7	14.6	3.5	24
SL5/16-01	SL08-01	Ø8	1/8	24.5	25.5	18.6	7.5	10
SL5/16-02	SL08-02	Ø8	1/4	28.7	27.3	22.2	9	14
SL5/16-03	SL08-03	Ø8	3/8	33.4	28.7	11.7	10	19
SL5/16-04	SL08-04	Ø8	1/2	38.5	32	13	12.5	24
SL3/8-01	SL10-01	Ø10	1/8	24.5	29.8	14.6	7.5	10
SL3/8-02	SL10-02	Ø10	1/4	28.7	31.7	19.8	9	14
SL3/8-03	SL10-03	Ø10	3/8	33.4	32.6	22.8	10	19
SL3/8-04	SL10-04	Ø10	1/2	38.5	35.2	24.8	12.5	24
SL1/2-01	SL12-01	Ø12	1/8	24.5	31	20.3	7.5	10
SL1/2-02	SL12-02	Ø12	1/4	28.7	33	22.3	9	14
SL1/2-03	SL12-03	Ø12	3/8	33.4	36.7	24.2	10	19
SL1/2-04	SL12-04	Ø12	1/2	38.5	36.8	25.2	12.5	24

PH Hexagon socket connector




British cannula	Metric Cannula	D1	D2	B	F	J	A	J
PH5/32-M5	PH 04-M5	Ø4	M5	16.5	20	11.7	3.5	8
PH5/32-01	PH 04-01	Ø4	1/8	24.5	41.5	13	7.5	10
PH5/32-02	PH 04-02	Ø4	1/4	28.7	25.8	14.6	9	14
PH1/4-M5	PH 06-M5	Ø6	M5	16.5	20	18.6	3.5	8
PH1/4-01	PH 06-01	Ø6	1/8	24.5	22.5	22.2	7.5	10
PH1/4-02	PH 06-02	Ø6	1/4	28.7	24.7	11.7	9	14
PH1/4-03	PH 06-03	Ø6	3/8	33.4	26.6	13	10	19
PH1/4-04	PH 06-04	Ø6	1/2	38.5	29.7	14.6	3.5	24
PH5/16-01	PH 08-01	Ø8	1/8	24.5	25.5	18.6	7.5	10
PH5/16-02	PH 08-02	Ø8	1/4	28.7	27.3	22.2	9	14
PH5/16-03	PH 08-03	Ø8	3/8	33.4	28.7	11.7	10	19
PH5/16-04	PH 08-04	Ø8	1/2	38.5	32	13	12.5	24
PH3/8-01	PH 10-01	Ø10	1/8	24.5	29.8	14.6	7.5	10
PH3/8-02	PH 10-02	Ø10	1/4	28.7	31.7	19.8	9	14
PH3/8-03	PH 10-03	Ø10	3/8	33.4	32.6	22.8	10	19
PH3/8-04	PH 10-04	Ø10	1/2	38.5	35.2	24.8	12.5	24
PH1/2-01	PH 12-01	Ø12	1/8	24.5	31	20.3	7.5	10
PH1/2-02	PH 12-02	Ø12	1/4	28.7	33	22.3	9	14
PH1/2-03	PH 12-03	Ø12	3/8	33.4	36.7	24.2	10	19
PH1/2-04	PH 12-04	Ø12	1/2	38.5	36.8	25.2	12.5	24

LSA Pipeline type




British cannula	Metric Cannula	D1	D2	B	F	J	d
LSA5/32-5/32	LSA 04-04	Ø4	38	13	11.5	30	3
LSA1/4-1/4	LSA 06-06	Ø6	48.5	20	15	44	4.2
LSA5/16-5/16	LSA 08-08	Ø8	53.8	22	18	48	4.2
LSA3/8-3/8	LSA 10-10	Ø10	61.5	25.5	21	54	4
LSA1/2-1/2	LSA 12-12	Ø12	75	31.8	28.2	57	5

LVFF Hand valve



British cannula	Metric Cannula	D1	B	F	H	J	d
HVFF1/4-1/4	HVFF 06-08	Ø6	51	5	17.5	40.5	4
HVFF5/16-5/16	HVFF 08-06	Ø8	52	5	17.5	40.5	4
HVFF3/8-3/8	HVFF 10-10	Ø10	62	21	22	44.8	4
HVFF1/2-1/2	HVFF 12-12	Ø12	64	21	22	44.8	4

HVFS Air flows from the threaded end to the cannula



British cannula	Metric Cannula	R	D	B	F	H	J	d
HVFS 01-1/4	HVFS 01-06	1/8	Ø6	58.5	15	12	40.5	4
HVFS 02-5/16	HVFS 02-08	1/4	Ø8	60	15	14	40.5	4
HVFS 03-3/8	HVFS 03-10	3/8	Ø10	70	21	17	44.8	4
HVFS 04-1/2	HVFS 04-16	1/2	Ø12	72	21	21	44.8	4