



CD120

12 TON CRAWLER DUMPER

All-Terrain Tracked Dump Carrier

Power • Reliability • Superior Off-Road
Performance



Engineered for Extreme Terrain



ALL-TERRAIN TRACKED UNDERCARRIAGE

Low ground pressure prevents sinking; max 30° gradeability under full load.

REINFORCED MANGANESE-STEEL BUCKET

Thick plate with reinforcing ribs; dual hydraulic cylinders, $\geq 65^\circ$ tipping angle.

ROPS ENCLOSED OPERATOR CABIN

Panoramic tempered glass, pilot hydraulic controls. Optional heating & A/C.

HIGH-TORQUE TURBO DIESEL ENGINE

Stage IIIA standard, optional Stage V for EU market. Reliable heavy-load power.

ROBUST FULL-HYDRAULIC DRIVE

Wet multi-disc braking system, safe slope operation, low daily maintenance.

TYPICAL APPLICATIONS

Water Conservancy • Mountain Construction • Forestry & Agriculture •

Small Quarry & Mining • Wet-land Haulage

Specifications & Options

ITEM	SPECIFICATION
Model	CD120
Rated Load Capacity	12,000 kg (12 Ton)
Operating Weight	13,500 kg
Overall Size (L×W×H)	7100 × 2500 × 3200 mm
Heaped Bucket Volume	7.5 m ³
Max Dumping Angle	≥ 65°
Max Gradeability (Full Load)	30°
Travel Speed (Fwd / Rev)	0–12 / 0–5 km/h
Ground Pressure (Rubber)	0.072 MPa
Engine Power	129 kW / 2200 rpm
Emission Standard	Stage IIIA / Optional Stage V
Fuel / Hydraulic Tank	220 L / 160 L
Drive System	Full-hydraulic closed-loop



OPTIONAL EQUIPMENT

- Steel track assembly
- EU Stage V engine package
- Cabin heating & air-conditioning
- Rear-view camera monitor
- Bucket wear-resistant liners
- Rear towing hitch
- Open canopy cabin



Reliable Construction Machinery Solutions

Tai'an Fuwei Heavy Machinery Manufacturing Co., Ltd.

ADDRESS

No.56 Boyang Road, Taishan Industrial Park,
Taishan Dist, Tai'an City, Shandong, China

TEL / FAX

+86 538 5056888

WHATSAPP / WECHAT

+86 15163850266

E-MAIL

info@tafwzg.com

WEB

www.tafwzg.com



Global Distributors & Dealers
Welcome for Long-term Cooperation